



COMIC SETTER THE COMPLETE AMIGA MANUAL



Welcome to the Gold Book Transfer manual. First with the January 1, 1993 issue of CO-STAR. Over the years Gold Book's Counselor has impressed many people with its ability to use materials and techniques of therapy. Anyone from a complete beginner to a seasoned DTP user can use products like special Christmas holiday or other occasions cards, party invitations and of course, coupons. All you need are ideas, a sense of humor and an imagination. You, your friends and family should get years of enjoyment from this program.

The Counselor manual not only contains instructions, materials and comments, it also provides a rough guide and hints and tips on creating good looking cards and a glossary of the standard clip art available for the program.

All products mentioned in this manual are trademarks of their respective
own owners.

©1998 Gold Disk, Inc.

Licensed to EMAP Images Ltd. for exclusive use on the January 1999
issue of CU AMIGA magazine.

All rights reserved. No part of this publication may be copied or dis-
tributed, transmitted, retransmitted, stored in a retrieval system, or trans-
lated into any human or computer language, in any form or by any
means electronic, mechanical, manual, or otherwise, as disclosed to
third parties without the written permission of Gold Disk.

The layout and design of this version of the Comco-Series
manual © 1994 CU AMIGA, EMAP Images Ltd. All of the above
conditions apply.

Gold Disk Inc.
P.O. Box 758 Sherbrooke
Maniwagan, Ontario
Canada J9M 3C7

COMICSETTER

the complete comic design studio

TABLE OF CONTENTS

1.	Getting Started	10
2.	Overview	10
3.	Informal	21
4.	Formal	22
5.	Page	26
6.	Panel	27
7.	Grid	41
8.	Diagram	40
9.	Flow Diagram	51
10.	Structural Diagram	51
11.	Text	55
12.	Diagram	55
13.	Full Cell Operation	70
14.	Group	77
15.	Preference	78
16.	Printing	81
17.	Graphic Mode	88
18.	Appendix	81
19.	Index	121
20.	Index	129

1

GETTING STARTED

**System Requirements**

Computer: CompuServer is designed to work on any properly config-
ured Atmega.

Operating System: Windows 1.2 or higher; Workbench 1.3 or higher.

Minimum Requirements: A minimum of 1 Megabyte of memory
is required.

Display Monitor: Any Atmega-compatible monitor. If working in high
resolution mode, a long persistence monitor is ideal. Flicker reducing
tinted screens are also available for standard Atmega monitors.

Disk Drive(s): One Atmega 3.5" floppy disk drive is required.

Output Devices: CompuServer supports all Professional printers.

Conventions Used in This Manual

The CompuServer manual and the software it describes follow the stan-
dard Atmega user interface. It is assumed that you have some familiarity
with basic Atmega procedures. However, as a reference, we recommend
that you read the following conventions outlined in throughout
this manual:

- Bullets (•) indicate related information, hints, or warnings.
- The use of Atmega hierarchy of terms for pull down menus. Main
menus are called "menus"; options in a menu are called "items"; and
options in sub-menus are called "sub-items".

The terms "parameters," "gadgets," and "tools" are also used.

- **Enter** (type) is used for words or phrases entering to specify CommaServer names, responses, and tools. Some examples: the Project status, File response, Panel Create tool.
- Many selections are often listed on this manual using the format **Manufacturer/Item**. For example: **True/StyleField** refers to the **Field** sub-menu in the **Style** item of the **True** menu.
- Keyboard equivalents are preface with the pull-down menu displays. Where keyboard equivalents are indicated, the following notation is used (where "X" is a specific character):
 • A **X**: Depress a while holding the **RIGHT ARROW** key.
- The **COUNTER** first indicates text that you should type in to the CLI or in the text line of a response.
- Moving the status pointer to a desired location, pressing and quickly releasing the left button is called **clicking**. If this is done in order to activate an object, it is sometimes referred to as "clicking."
- Placing the mouse pointer on a desired location, pressing the left button and holding it down while moving the mouse is referred to as **dragging**.

Making a Working Copy of CommaServer

We recommend that you do not use the original disks which you received in the CommaServer package other than to make working copies. Immediately make one (1) back up copy of each disk (insert in your working disk). Move the original CommaServer disks in a safe place (intending only to make additional replacement copies of your back up disks are lost or damaged).

For your convenience, CommaServer is not copy protected. Please respect the fact that Gold Disk Inc. has studied ways for you to make an authorized back-up to prevent risk to your original copies. Do not will freely give or otherwise distribute the CommaServer programs to anyone.



Making a Back up

With one drive.

- Refer to the coverdisk page 110 (CD) Amiga to find out how to make up an uncompressed version of CommaServer (this will be your program disk).
- Boot up with the Workbench disk that came with your Amiga. Then put your CommaServer Program disk in the drive. Be sure that it is write-protected.
- Select the CommaServer disk icon.
- In the Workbench menu, select the Duplicate item. Then follow the instructions for Amiga provides.

With two drives

- Boot up with the Workbench disk that came with your Amiga. Place the CommaServer Program-disk in the first drive, and a blank disk in the second drive. Be sure that the CommaServer Program-disk is write-protected.
- Move the mouse pointer over the CommaServer Program disk icon and "grab" the icon by pressing and holding down the left mouse button.
- Still holding down the left mouse button, drag the CommaServer icon over on top of the icon for the Blank disk, and release the button.
- Your Amiga will provide the necessary instructions to complete the back up copy.
- After the Program disk copy is finished, you should rename the copy of CommaServer from "Copy of CommaServer" to "CommaServer". Repeat the copy process for the CommaServer (types) on the cover disk.

Starting CommaServer

From the Workbench

- Insert the CommaServer Programs disk in the drive to boot the system.
- Double click on the CommaServer Program disk icon to bring up the CommaServer window.
- Double click on the CommaServer Program icon to start the program.

2

OVERVIEW



This section of the manual is intended to give you a basic familiarity with the ComaEditor system and its components in preparation for the Tutorial. Subsequent discussions of the various ComaEditor functions appear in the Tutorial and following sections of this manual. We recommend that all ComaEditor users, even experienced Amiga users and those authors of the manual so they can learn to use ComaEditor to its fullest potential. You should have ComaEditor running on your Amiga while you read this manual, so you can practice the various ComaEditor functions as they are described.

Tour of the ComaEditor Screen

The ComaEditor screen (which you should have visible on the Amiga monitor in front of you) consists of a large window for showing a part of a page, surrounded by a variety of menu, tools, and gadget.

Title Bar

At the top of the screen is the "title" bar, showing the name and version of the program. To the right of this, ComaEditor displays the current document name. Initially, this should read Untitled 1. To the right of the document name is a coordinate position indicator. This shows you the current x/y (horizontal/vertical) position of your pointer in relation to the top left hand corner of the page (note the page is created by default: the units of measure are in inches, but can be changed to display in pixels, or centimeters. Finally, on the far right side of the title bar are the standard Amiga "marks" as described in each gadget's

Clicking on these gadgets will let you toggle back and forth from CorelDraw to the Workbench screen, as described in your *Artistic user's guide*.

Menu Bar

Hold-down the right mouse button to make the "Items" bar visible. There are seven CorelDraw menus available: **Project**, **Style**, **Layout**, **Text**, **Align**, **Preferences**, and **Document**. Items can be pulled down by moving the pointer to any specific menu name while holding down the right mouse button. Pull-down the various menus, and look at the different selections available.

Selecting Menus, Items, and Sub-Items

Pulling down a menu provides a number of selections or "items." The **Project** menu, for example, has eleven items to select from. You can select any of these items by holding the right mouse button down as you move the pointer to the item you want and then releasing the button. Some menu items contain a sub-menu of options or "sub-items." For example, you will notice that when you move the pointer to **Project>Save Settings**, a sub-menu appears showing two sub-items, **Panel** and **Page**. To select a sub-item, move the pointer to the item you want and release the right mouse button. If **Panel** was the choice, the selection would be indicated as this menu in **Project>Save Settings>Panel**.

Reporters

Some menu items are followed by three periods, for example **Project>Open...**. This three-period indicates that if you select this item, a "reporter" will appear. A reporter is a window containing several options that you can choose from. For example, selecting **Project>Open** will call up a familiar-looking dialog file reporter showing you what files are available and allowing you to load a file into CorelDraw. If you wish, you can cancel any reporter by clicking on the **Cancel** button and returning to the screen.

Tool Palette

Running-down the left side of the screen is the **CorelDraw** tool

palette, which contains all the different drawing modes and tools that you use to create objects. The tool palette consists of the following nine general tools: the drawing mode "gadget," eight drawing tools, a "color" sub-palette, and a line-weight selector.

General Tools Sub-Palette

This part of the tool palette contains nine general tools to help you lay out a page. They are the well-known: **pan**, **create tool**, **group**, **delete tool**, **undo**, **redo**, **send-to back tool**, **send-to-front tool**, **lock**, **unlock**, **create tool**, **text tool**, and **format**, **create tool**.

Drawing Mode Gadget


The drawing mode gadget is set by default to allow you to draw in "structured drawing" mode. Click on the gadget and the "structured" and "triangle" mode drawing icon is replaced by a "point-and-brush" drawing icon. Click again, and the "structured" drawing icon reappears. For a complete explanation of structured and "brush" drawing, see page 100, Chapter 8, *Graphics*.

Drawing Tools

This part of the tool palette contains eight drawing tools. They are the point, brush, rectangle, ellipse, polygon, text, rectangle, ellipse, and **format** tools.

Color Sub-Palette

This section of the tool palette allows you to select your ink and background colors. A palette of various colors is



green. Each colour can be changed to any of the 4096 possible colours. The "fill toggle" gadget allows you to turn fill on or off. The "fill pattern" gadget shows the selected fill pattern. Every colour can be changed by double-clicking on that gadget, which brings up a Colour Palette requester.

Line Width Selector

This gadget allows you to select the width of the line you are drawing with. The line width can be adjusted by clicking on either the right arrow to increase the thickness, or the left arrow to decrease thickness. By holding the left mouse button down while over an arrow, the line thickness will continue to increase until you release the button. A dashed line indicates that no line will be drawn.

Scroll Bars

ConnectServer allows you to create pages that are larger than can be shown on the screen. The "scroll" bars are located on the bottom and right side of the ConnectServer screen, and they allow you to view and work with any part of a large page that can't be viewed in its entirety. They are marked. Arrows scroll bars, and are used by holding down the left mouse button to grab onto a portion of the bar and dragging to move your point of view around the page. Clicking on the arrows at either end of the scroll bars allows you to adjust the view by small amounts.

Page Number Gadget

The "page number" gadget, at the lower right-hand corner of the screen, displays the number of the page currently being worked on in your ConnectServer document. To see how this works, select Layout/Add Page to create a page. When the Add Page requester comes up, click on the OK gadget. The center part of the ConnectServer screen will turn from black to white as a blank page is created. The page number gadget will change from Page 0 to Page 1. Select Layout/Delete Page. A requester will appear asking OK to delete the page. The page number gadget will again indicate Page 0 (the page in the document). The number of pages in a ConnectServer document is only limited by disk space. The number of elements and objects on a page is limited by how much memory you have available.

Selecting the Proper Tool

As you learn how to use ConnectServer, you must continue to select the proper tool for the proper working mode. Remember to look at the tool palette and check to see which tool is selected. For example, you may be trying to draw one object when another object is active. That is a common cause of confusion. Simply select the tool pointer tool, click on the object you want to work with, and then, start again.

Pointer Shapes

ConnectServer will change the shape of the pointer depending on the operation that you are attempting. There are four different pointer shapes. The first is the "null pointer," which is what ConnectServer starts out with. The null pointer can be selected by clicking on the null pointer tool. The null pointer allows you to select and move objects on the screen. The "create pointer" indicates that ConnectServer is ready to create some thing. This can be anything from a new page, to any of the graphical elements. The "move pointer" indicates that you can move your field of view about your page, or move objects around. The "erase pointer" will appear when you are attempting to remove an object or pencil. It returns back to its previous pointer when the erase operation is completed. The final pointer is the "steering pointer." This pointer will appear when you the program is busy doing a task.



Keyboard Equivalents

ConnectServer supports a large variety of "keyboard equivalents." These are short cuts that allow you to access many menu selections by pressing two keys on the keyboard. When you become more proficient with ConnectServer, you will begin to see how useful these short cuts really are. A menu selection that has a keyboard equivalent will show the equivalent beside the selection on the menu. For example, the keyboard equivalent for the Project/Open selection is A-O. For a complete list of all keyboard equivalents, see Appendix B, Keyboard Shortcuts.

Keyboard Modifiers

Keyboard modifiers are used in conjunction with keys to alter their purpose. This is accomplished by holding down a specific key while using the mouse. Throughout the manual, keyboard modifiers are explained as they apply to various sections. Also, Appendix B, *Keyboard Shortcuts*, contains a full list of all keyboard modifiers.

Printer Environment

If you have not already done so, you should configure Connecter to the type of printer that you will be using. This is done through the WorkBench using Preferences. Connecter will automatically gather information about the printer driver and configure itself to your print environment. Connecter works with the WorkBench 1.5 printer drivers. For more information on how to configure WorkBench 1.5, see Appendix C, *Printer Information*.

3 TUTORIAL



The best way to learn Connecter is experimentation. With some practice, assisted by the Tutorial and other reference information in this manual, you can learn to take full advantage of every powerful Connecter feature and produce a wide range of dynamic graphic outputs. In this tutorial you will produce a sample one-page and four-page status and print it. The principles that you are introduced to in this tutorial will provide the basic steps in organizing any similar project. At all times, feel free to experiment with the various functions of Connecter at your convenience.

To run the tutorial, you need:

- A working copy of the Connecter Program (see *Installation*)
- A working copy of the Clip-Art Disk (see *Installation*)
- A blank, formatted data disk
- A suitable output device

If you are not already running Connecter, start up the program as described in the Getting Started Chapter.

Creating a Page

The first step is to create a page. To do this:

- Hold down the right mouse and move the pointer to the Layout menu. When the pointer reaches the word Layout, a pull-down menu appears.
- Keep holding down the right mouse button,



move the pointer down to the **Add Page** item. When selected, the request button **Add Page** requester window appears, showing a number of adjustable settings. For this exercise, use the default settings.

- Click **OK**. With the left mouse button, on the OK gadget in the lower left-hand corner of the requester. The requester will disappear and the CommaBatter screen will change from black to white upon seeing the page you have created. Also, the scroll bars on the bottom and right-hand side of the screen will adjust to indicate what part of the page you are viewing.

Using CommaBatter documents

One important procedure that should be learned when using

CommaBatter or any software product is that you should save your work often. This "insurance" will pay for itself the first time you run into any difficulty. For example, saving a document before a major key-press change will give you the option of returning to the original layout at any time. This can be extremely helpful, especially when first learning to use a computer or a particular program.

Before you actually begin creating your custom layout, you should learn how to **Save** and **Load** your documents. Although this tutorial is short, you may not be able to finish it in one session. Knowing how to save your current document gives you the option of stopping and later continuing from where you left off. Since you have already created a page, let's demonstrate how to save the Mark page as a document, to disk. There are two ways of saving a document to disk. The first is the use of **Save As**.

To use Save As:

- Place your keyboard data disk in the **FORMED** disk drive, so it just happens only has one disk drive, replace the CommaBatter disk with the data disk.
- Select the **Save As** item from the **Project** menu.
- When the **Save Document As** requester appears, click on the DFD gadget of your data



disk is to drive B on the DFD gadget if it is on drive 1.

- Click on the right of the FILE bar. A cursor will appear, allowing you to type in the name of the document to be saved. For this example, type **TESTDATA**.
- Click **OK** to save the document. You will notice that the filename that you have typed is now displayed on the title bar. Also, if you pull down the **Documents** menu, the name of your file **TESTDATA**, will appear to the right of the already empty.

With CommaBatter, it is possible to have more than one document in memory at one time. Every time you create or retrieve a new document, it will be added to the list in the **Documents** menu. This feature is discussed in more detail in the **Documents** section of the manual.

Using the Save Item

The second way of saving your document is to select **ProjectSave**. The first screen will comment when you are updating a file that you are working on. You could save modifications to the file frequently with out the hassle of re-entering the same file name information.

Selecting **ProjectSave** (which you will, to be, saved immediately to the disk and directory that was used in the **Save As** operation. If the **Save As** has not been previously used, a new Document As requester will appear.

Retrieving or Opening Files

If you want to load a previously saved file, select **ProjectOpen**. To demonstrate this function, clear the document in memory, and retrieve the document that you have just saved.

To clear the document in memory:

- Select the **ProjectClose** item. If you have changed anything on the page since the cursor was last saved, a **Warning** requester will appear asking if you wish to **Save** the current page.
- Click on the file gadget. The page on screen will be erased.

The name of the document will again become Untitled.

To load the previously saved document:

- Select the **Project/Open** command. A requester window is the one used in the **Save** request will appear.
- Select the drive which contains your data disk. **ConnectServer** will give you a list of all of the documents located on that disk (in this request there will only be one).
- Click on the **DISPATCH** file. **ConnectServer** will take your selected file and transfer the same to the **FILE** box.
- Click on **OK** to load the file. **ConnectServer** will load that file, and you will see your document on the screen. In this case, you will see the blank page you created earlier.



Now that you know how to save and load files, you can begin to make all with the option of stopping and refreshing any time you wish. Again a reminder to frequently save your documents. It is very easy to load a previously saved document, but much harder to recreate it from scratch if something should go wrong. Before starting, it is ensure that preferences are set correctly.

- Select **Preferences/Show Boxes**.
- From the **Preferences** menu, select **Used Pixels**. This means that all coordinates will be displayed in pixels.

Panel

Every comic layout, from a full comicbook to a single picture novel, consists of a number of panels. Panels are working frames in which you assemble your images. In **ComicStudio**, all of your images and text must be created within panels. This allows you to move a panel with all of its contents, as a new layoutpage.

A panel is not restricted by size, and can be up to a full page in dimensions.

Adding a Panel:

- Click on the **Panel** Create tool on the tool palette. Your pointer will change into a cross hair.
- Position the pointer to where you want the top left hand corner of the panel to appear. For this tutorial, the exact position doesn't matter, but you should place it on the area of 140, 104 as indicated by the coordinate position indicator gadget.
- Hold down the left mouse button and, by moving the mouse, drag the coordinate to the position where the bottom right hand corner of the panel should be, in the general area of 558, 100. A large rectangle should be displayed on the screen. When you are satisfied with the position, release the mouse button. The panel's border will change to a dashed line indicating that it is a screen.

Magnification

ComicStudio gives you four different magnification levels at which to work: 200%, 100%, Full Page, and 50%. Zooming is useful for adding fine details to your layouts. Zooming out can show your entire page.

A closer look

To size your panel up close:

- Select **Preferences/Display/200%**. The page will zoom in to fill the screen. Now only a small part of your panel will be visible. However, you can move your field of view to see other parts of the page.

To see the right side of the panel

- Grab the bottom scroll bar and drag it about two inches to the right. When you release the button, you should see the rightmost hand side of the panel. The same procedure applies to the vertical scrollbar. To see how our test panel looks in relation to the entire page, we can view the document in Full Page magnification mode.

A full page view:

- Select **Preferences/Display/Full Page**. The page will zoom to fill with 10 appear in a white rectangle on a black background.

All features of the program will work on any given magnification level. From this point, freely use any magnification level you desire. The tutorial will prompt you to set a particular magnification level only when it is necessary for completing a step in the course of this tutorial. However, for speedily response, we recommend you work at 100%.

Painting and Moving Panels

Select moving or changing a panel; it must be selected and made active. An active panel has a dashed border. An inactive panel has a solid border. To demonstrate:

- Click on any part of the page which does not contain a panel. This will de-select your original panel. The panel will have a set of borders signifying that it is inactive. To select a panel:
- Move the pointer from the panel that you wish to select and while pressing the Right-ALT key, click on the panel with the left mouse button. The border now changes from a solid to dashed line, indicating an active panel. To move a panel:
- Make sure that the panel is selected.
- Move the pointer over the panel and grab one of while holding down the Right-Alt key by pressing and holding down the left mouse button. Your pointer changes to a hand.
- Move the mouse to drag the panel to its new location and release the button. It is that simple. The Corner Lef's start creating the tutorial corner.
- Clear the page of the panel(s) that you have created by making the panel active and selecting **File/Clear**.
- Create a panel with the top left hand corner near (10, 10) and the bottom right hand corner near (100, 100).

Importing a Background

For the tutorial corner, begin by importing a background into the active panel.

- Make the panel active.
- Select **Image/Import Graphics...** or double-click the **Bring Green tool**. Your pointer will change to a cross hair. **Connecticut** is now making for you to define the area that which the graphics should be imported.

- Position the pointer inside and near the top left-hand corner of the panel.
- Hold down the left mouse button and drag out a rectangle to the bottom right hand corner of the panel. The background you will import will fit in this guide. The portions of the graphics outside of the panel will not be visible. **Connecticut** will now display a file selection window to the one shown earlier when you saved your document.
- Insert your **ClipArt** disk into your external drive, or if your **Amiga** only has an internal drive replace the **Connecticut** or data disk with the **ClipArt** disk.
- Click on the disk drive number gadget corresponding to your **ClipArt** disk to view its list in the file response.
- Click on the line that reads **IL0005**. This will open the directory for **Backgrounds/clipart**.
- Select the file named **Interior Test**.
- Click on **OK**. The file response will disappear and a new window will appear showing you the background that you will import into the tutorial corner. The **Graphic Clipping** window is placed on top of the existing **Connecticut** window, and may be moved or sized. Along the top of the graphic clipping window are five gadgets which are explained in the **Bringing Graphics** section of this manual. For now, your concern is to set up a section of the background to fit exactly into the guide that you have created.
- Click on the **Graphic Clip** tool the **G** gadget along the top of the graphic window. As you move the pointer, a rectangle, the same size as the guide you drew, will move along with it. If you move the pointer outside of the **Graphic** window, the pointer inside the window will scroll in that direction.
- Once you have established the desired position, click the left mouse button. You should see your background appear in your panel right before your eyes.

Importing Characters

Now you need some characters to place on top of the background. The process for importing characters is identical to the process for importing backgrounds: *drag your own images in!*

- Select **Project>Import>Graphics**
- Draw a small guide on top of the background you just imported. The **Import Graphics** clipping window will appear with your previous background. Since we want a new image *above* the File tool which is second from the left.
- When the file separator appears, choose the **PARENT** item at the top of the list. This brings you back one directory level.
- Select the **MALE** directory to view its files.
- Select **Mid_Power_1_Pants**.
- Click on **OK**.

You will be putting together a character from the parts given to this course. If you try using the **Circle** function to clip out the character's pants, as we did with the background, you might clip out unwanted portions of other images within the clipping rectangle. For this reason, **Connecticut** gives you the ability to clip images using a polygon tool. This offers you an *ad-hoc* control over the objects that you clip, regardless of how irregularly shaped they may be. Here clip out the character's upper body part, which is located on the far left side of the graphics window.

- Select the polygon clipping tool located on the far right side along the top of the graphics window. The pointer will change to an X shape indicating **Connecticut** is ready to polygon clip.
- Move the pointer to a position anywhere around the character's upper body part and press, and release the left mouse button. Now when you move the mouse, a line will be drawn from the position where you clicked to the current pointer position.
- Move the mouse pointer further around the character and press the button again. The line will be fixed to the second point, and you will be able to continue with a second line. In this manner, you will be able to completely outline the image by carefully drawing a series of lines around it. The lines can be as long or as short as you wish.

- When you have enclosed your image, quickly double click the left mouse button. The image that you have clipped will now be *inserted* to your image below.

More than likely, the clipped image (called an *object*) will not be in the position you desire. Don't don't worry. **Connecticut** gives you the full ability to edit and move these objects. And, since every object in the window is kept track of separately, they may be moved and treated independently of one another.

To move your object:

- Position the pointer on or to the object that you wish to move, and, while pressing and holding the left mouse button drag the object to the desired location.

Continue Building

Directions: you still need a head and the lower part of the body to finish your character. Continue to select **Project>Import>Graphics**, using the **Polygon** clipping tool to select the pieces that you wish. Once these pieces are on the panel, move them so they connect together. Complete the character.

Talk to me!

Connecticut gives you the unique ability to enter dialogue in speech balloons, and then edit that text at any time. Here's how:

- Click on the **Balloon** tool in the tool palette.

CONNECTICUT
WORKSHEET 1401

Your pointer will change to a cross hair, indicating that a speech balloon may be drawn.

- Move the pointer to anywhere over the panel, hold down the left mouse button, and drag out a rectangle for your speech balloon. When you release the mouse button, ComicSetter will present you with the Draw Text dialog box.
- Type in the caption you want your character to say. We suggest "COMICSETTER MAKES MY DAY".
- Hit the RETURN key. ComicSetter will create a round speech balloon with this caption inside it.

Depending on the length of your caption, the entire text may not fit in the speech balloon. You will have to try and your balloon. Details in chapter 12, *Balloons*.

Round speech balloons are nice, but they are not complete until a tail is added, signifying that the character is speaking.

A speech balloon consists of two components: the text component and the graphic component. To add a tail, we only need to modify the graphic component.

Remember that a speech balloon is really just an object, similar to the background or character that you clipped earlier. Before you can modify an object you have to make it active.

- Click on the speech balloon to make it the active object. You will notice that the outline becomes dashed, but wait... another box appears, inside the balloon (if you don't see this, make sure that



Preferences/Draw Balloon is selected). Remember, a balloon is made up of two components. The graphic component is the outside part, and the box within is the text component.

To tell ComicSetter that you only want to modify the outside graphic component:

- Position the pointer within the dashed outline of the balloon, but not over the window made text box.
- While pressing the CTRL key, click on the left mouse button. Several small rectangles will appear around the outline of the balloon. These are called control points. Control points allow interactive manipulation of graphics.

Finally, let's add the tail.

- Move the pointer onto a control point, preferably one closest to your character's mouth.
- Hold down the left mouse button while dragging out a tail.
- Release the button when you are satisfied with the tail's location.

To move a whole balloon:

- Deactivate the balloon by clicking anywhere outside of the balloon.
- Reactivate the balloon by clicking on it with the left mouse button, and drag to the desired location. The mouse bar deactivating and reactivating is that you had previously activated only the outside component of the balloon. Remember, and use this fact! What happens in other situations.



Print

Having completed your first comic on screen, the last remaining, how fun of this Tutorial is pressing out is easy for everyone to see. You should have your printer and Preferences set so we can print the comic immediately.

- Select **Print/Print...**. ComicSetter pops up a Print Document dialog box. Check to ensure that Copy Scale is selected if you are using a standard black & white printer, or that Color is selected if you are using a color printer.

- **Setlist Size:** Your printer should start to print your letter after a few seconds.

Conclusion

You have created a comic! Where do you go from here? Experience! There are many additional features that weren't discussed in this tutorial. Only through experimenting with the various features listed in the following chapters will you actually acquire skill in their use. The following chapters are written in the "hands-on tutorial" style, but will explain all of ComicStudio's advanced features in detail.

The comic that you have just created is a great starting point for further experiments with more advanced features. The national example file is saved under the filename COMIC1.RMAIL and can be loaded

from the TUTORIAL directory of the Clip Art disk. Of course, your comic will look exactly like the example, but if making this comic saving it should be easier.



4 DOCUMENTS



A **document** is a page or collection of pages created with ComicStudio. Besides Saving and Opening individual documents, ComicStudio gives you the ability to have several documents at once (7 at one time) and to transfer information between them.

Opening Documents

The Project/Open... dialog box will produce an Open Document file explorer and ComicStudio will immediately start reading the most recently opened disk. The < > (D) by default.

Clicking on any of the drive gadgets, or selecting a directory, will cause ComicStudio to present that action immediately. Clicking on a file name will transfer that name to the File list. Double-clicking on a file name will tell ComicStudio to open that file.

If you are in a sub-directory, the first selection will always be <PARENT>. Clicking on this will take you back one level.



Saving Documents

There are two methods of saving documents:

- **Select Project/Save As...** A file explorer will appear. Click in the box to the right of the word File to produce a cursor, and type the name of the file. Then click on the OK gadget.
- **Select Project/Save.** The file will be saved in whatever disk and directory was used in the previous Save As operation. If Save As has

the first time, a Save As is required and will appear when Save is requested. The first time is very convenient when you are working on a draft, allowing you to save a different version of the document. For more information:

Multiple Documents

Connecticut gives you the ability to have several Opened documents in memory at the same time. Listing them in the Documents menu. Make selections from this menu to open the various documents you have opened. Connecticut will not permit you open the same document twice on the same time.

New Documents

The ProjectFlow command allows you to create a new document while keeping your old documents intact. After selecting ProjectFlow Connecticut will appear as it does when you normally start the program, a blank screen. However, the Documents menu will list all of the documents in memory.

Close Document

If you wish to remove a document from the current document history use the ProjectClose command. If you have made any changes since the last time that the document was saved, Connecticut will produce a "Warning" response warning that fact. Click No to close the document. You're being up for Save Document response, and Cancel to start the operation.

5 PAGES



A page in Connecticut is an entire printed page (in a column book) or other publication. The default value is always 10 if the page are desired to match those that will be printed. An individualized publication, images in Connecticut will include a grid laid out on these pages.

Units

You can select the units of measurement used through the Preferences menu item. Points, Inches and Centimeters. The default value is Inches. Changing units of measure will switch the use of those units through out the program.

Adding Pages

The LayoutAdd Page selection will produce an Add Page response which allows you to define the following page attributes:

- **Size:** Connecticut offers a choice of four predefined page sizes: Standard, Legal, A4 and A6. In leaving a page size will display its dimensions in the width and height columns in the selected units of measure.
- **Custom page specifications** are available by selecting Custom, and typing the desired dimensions in the width and height columns lines. Regardless of the Units and paper resolution the maximum page size is 1000x1000 pixels.
- **Margins:** The margin feature is used in conjunction with the AutoFeed feature. By default, Connecticut provides a 0.5 inch margin on all sides of the page, but any value from zero to the maximum

page, it is *how* it is *aligned*. Margins do not affect horizontal placement of panels. The margins that vary are panels depending on the output resolution setting in PageLayoutEnvironment Setup (See Chapter 14).

- **AutoPanel** Command lets you create a page with evenly sized panels. To the right of the AutoPanel gadget are the X and Y value entries. X represents the number of panels horizontally, and Y the number of panels vertically.

Horizontal and Vertical page are the approximate spacing between the horizontal (X) panels, and the vertical (Y) panels.

Relating Pages

The page number on the screen is always the active page. Pages can be linked using the Page Number gadget at the bottom right side of the CreateScreen screen.

- Click on the Page Number gadget for an response.
- Click on the up or down arrows to change the page number by one value or enter directly. On click on the page number bar and type in the desired page number using the keyboard.

Deleting Pages

CreateScreen allows you to delete a page, as well as a group of consecutive pages, without having to view that specific page by:

- **Full Screen/Delete Page** Command Key will produce a Delete Page response.
- Click on the range and type in the range of pages you wish to delete. Then Click on OK.

Moving Pages

Selecting the **Move/More Page** command will bring up a Move Page Response which has three areas for input:

- **Range X to Y** You can move a group of consecutive pages. X value represents the starting page and Y value is the ending page number. Also Page. This is the page that you wish to insert your group after. All of the pages in the requested range will be moved, after that page. The order of pages within that group will stay the same.

PANELS



A panel is a window of content. You can think of a panel much like a "screen" for a particular page. Unlike the X and Y panel dimensions, a panel is designed to be of variable thickness and width. A "display" must be contained within a panel. Therefore, a panel is *not* dimensioned or required on a CreateScreen page. If a panel is moved, all of the contained images will move with it. In this regard, a panel is like a floating window. A panel, by default, an image will not be visible, or visible to-panel, but CreateScreen does provide the apparatus to display them, and the many objects to other parts of the page, as described at Chapter 5. (Figure 5)

Growing

Clicking on the Panel Create gadget will move the pointer to a coordinate signifying that a panel must be created. Hold down the left mouse button while dragging out a rectangle. The Panel Create mode remains active until you cancel it by clicking another gadget.



Constraining Panels

Hold down the **SHIFT** key while dragging out a panel to constrain the panel to a square. In some magnification levels, the screen representation may not look like a square. However, CreateScreen takes the resolution of the output printer into consideration and will print a true square.

AutoPanels

AutoPanels allow you to create a page, containing a specified number of panels. See Chapter 5, Pages, for a full explanation of the AutoPanel feature.

Selecting Panels

A selected panel has a dashed highlight around it; non-selected has no highlight, and the panel containing a selected object has a solid highlight. *Commander* will also display the panel's possible borders by default. *Commander* allows you to select individual panels in two ways:

- Move the pointer over any part of the panel and while pressing the Right ALT key, click the left mouse button.
- Select the Marquee Tool, hold down the Right ALT key, and drag out a rectangular frame around the panel to select. By using keyboard-select you can select more than one panel and modify all of the selected panels simultaneously. There are several ways to select more than one panel:
 - Select the first panel by holding down the Right Alt key, then hold down the right SHIFT key to select additional panels. All of the selected panels will have dashed borders.
 - Use the Marquee tool, hold down the Right ALT key, and drag out a rectangular frame around all of the panels you wish to select.
 - Examine that MD panels are selected by clicking anywhere on the page, outside of the panels and objects. Then select Edit/Select All to select all of the panels on the page.

To De-Select a Panel

- Select another single panel. This will de-select the first panel.
- Select any object or group within any panel.
- Click on any part of the page, which does not contain any panels or object.

If you have a set of panels selected, the above three methods will de-select all of the panels. If you wish to de-select one panel from a set of selected panels, click on that panel while depressing the Right Command key.

Moving

There are two ways to move panels:

- Grab and move the selected panel directly on the screen.
- Enter exact coordinates for the panel's position into the panel's numeric entry register. See Panel Attributes (below).



Using

Changing a panel's size leaves the objects in the panel at their old sizes and positions. The portion of each object which is visible will be adjusted to the panel's new edge.

Using the mouse

- There are eight control points around the selected panel's border.
 - Grab the control point, and drag it to its new dimension. Grabbing a side control point allows you to only see that side. A corner control point allows you to see two sides moving together.
- Commander* provides an option which allows you to enter the exact size of the panel using the keyboard. This will be described later in this chapter under *Attributes*.

Scaling

Scaling a panel will also scale the contents of that panel by the same proportion.

Using the mouse:

- Hold down the Left ALT key and grab a control point by pressing and holding down the left mouse button.
- Drag the panel to its new dimensions and release the mouse button.

Deleting Panels

Panels can be deleted in two ways:

- Select the panel and press the DELETE key.
- Select the panel and choose the Pull/Free List.



Panel Attributes

The *Attr*Panel, *Attr* shows a list of the *Attr* list of all objects of the selected panel.

Position

The *Position* indicator allows you to specify the location of the

top-left-hand corner of the page and point 1 is indicated to the top-left-hand corner of the corner page. The position is indicated in units of measure selected in *Preferences/Units*.

• Position X Y

The X value represents the horizontal distance from the left side of the page to the left side of the panel. The Y value represents the vertical distance from the top side of the page to the top of the panel.

• Size

- The top-left-hand corner of the panel is specified by the Position indicator. The other corner locations are controlled using size values X and Y.
- The X value represents the horizontal size, breadth of the panel.
 - The Y value represents the vertical size, height of the panel.

• Scale

It is possible to scale a panel up or down in size. Scaling will also scale the contents of the panel to the same proportions. Use the Scale values X and Y.

- The X value represents the horizontal scaling factor that is to be applied. The position of the left side of the panel will remain fixed and the right side will adjust accordingly.
- The Y value represents the vertical scaling factor that is to be applied. The top side of the panel will remain fixed and the bottom side will adjust accordingly.

• Border Width

Most corner panels have borders. CorelScan allows you to change border widths. The default border width is 1 pixel for panel borders and ranges from 1 to 10 pixels for a maximum thickness of 10 pixels. Width is specified in pixels.

• Border Colour

By default the panel border is black. However, CorelScan provides a selection of customisable colours for the border.

- Click on the open down arrows on each dropdown to choose.



7 GRIDS



Grids in this product make it easy for you to place panels more precisely. In addition to being a visual guide, the grids in CorelScan can sometimes allow you to place panels and objects on the grid line intersections, something that grids on paper can't do. The grid lines will disappear out on your final page.

Grid spacing is specified in the units selected in *Preferences/Units*. CorelScan allows you to vary the grid spacing by entering a user-definable value.

• Display

The *Preferences/Display Grid* selection is used for displaying and with the *CorelScan* window. The default value is 10 pixels by 10 pixels. However, the grids will encompass any panel or object manipulation that is currently used. Grids can be toggled on again with the *Preferences/Display Grid*.

• Changing Grid Size

Selecting the *Display Grid* in *Preferences/Display Grid* will give you a choice of 1 different sizes for the Grid Spacing.

- Horizontal: is to change the horizontal grid distance.
- Vertical: is to change the vertical grid distance.

The distance is defined in units of measure corresponding to the *Preferences/Units* button. The minimum grid spacing is 1 by 1 pixel although a grid is not, with each pixel value is added to the user-defined

Snapping

Perkins is an *Snapper Grid* object, you can accurately position graphical grid intersections. Whenever Snapper Grid mode is selected, all objects being created or moved will align the top-left corner of the object to its nearest grid intersection.



GRAPHICS



ComeCenter allows you to introduce graphics components to your canvas in two ways:

- By creating them within the ComeCenter program using the graphics tools in the tool palette.
- By importing previously created graphics from Clip-Art disks or any other source. ComeCenter accepts any standard Windows BMP image (except HSB).

Bitmapmed and Structured Graphics

ComeCenter allows you to use and manipulate two different forms of graphics:

- **Bitmapped graphics** that are created by paint programs such as Deluxe Paint II, Acorn Images, etc. You create an area called a *bitmap*, and then modify the pixels in that bitmap to create a picture.
- **Structured drawings** created from components that are mathematically defined. These components can be lines, arcs, and curves, each with line weight and fill pattern attributes.

Structured drawings require less memory than Bitmap objects. It is also possible to alter structured drawings after they are created.

Graphics Mode On!

The Graphics Mode tool allows you to select either structured or bitmapped graphics drawing modes. When the Graphics Mode tool is selected, a palette and zoom levels. ComeCenter is in bitmapped graphics mode. When the tool is selected, a T-square and triangle,

Objects

And a nice letter graphic dimension is a little tip to whether they are, mapped, remapped, or mapped to a new Object, even similarity in points so that they all fit the lines of text and scaled Objects can be placed over a new, another is used to do and images.

Remapped Objects

Below, you can see any remapped graphic in CoreDraw, you will notice a black, remapped object. Once defined, the object may be used but is in the text provided in the text palette. For more on how to use creating, black, remapped objects, see chapter 9: Remapping Graphics.

Structured Objects

Structured objects, unlike remapped graphics, do not require an object to be in the text palette, creating the graphic. Simply create the structured graphic in a panel. Structured graphics are covered in chapter 10: Structured Graphics.

Text Objects

Text is displayed in a word in a panel as a graphic object. Once a text object is created, you drag out the text object. To create the object, see the text palette, see Chapter 11: Text.

All objects must be created within a panel, and there is no limit to the number of objects that may be contained in a panel.

Selecting Objects

As with a text object, it is displayed in the text palette.

The bottom of the text palette shows buttons, and in a text palette. A text object is displayed with a selected border. The object is in the text palette.

- Select a text object, drag out the text object. Unlike other objects, it is in the text palette, and it is in the text palette. However, the text is in the text palette, and it is in the text palette. The text is in the text palette.

- Select a text object, drag out the text object, and then



- Drag the Mouse Tool to select more than one object.
- Using the Left Mouse key to Extended Select additional objects. Using the Left Mouse key to select a single object from an Extended Select set.
- Using the Shift-Click All icon to select all objects in a selected panel.

Moving Objects

Objects can be moved by grabbing them and using the left mouse button. If an object is not currently selected, object it will become selected. More than one object may be moved at once. Clicked select the object to be moved and then, while holding the L. SHIFT, pick up any one of the objects you want to move. The text will move along with it, keeping the same relative position.

Cropping Remapped Objects

CoreDraw allows you to crop remapped objects by grabbing and moving any of the eight control points around the selected object. Cropping a remapped object changes the image's size, but maintains the position of the image, which is visible. The image can later be enlarged back to original size, restoring the position which have been hidden by previous cropping. It is not possible to crop a bitmap larger than its original size.

Scaling Remapped and Structured Objects

Remapped objects can be scaled or reduced in size. Unlike cropping, scaling alters the image in your layout. For example, scaling a remapped object in your layout will make the individual pixels of the image, even as large.

Scaling a structured graphic will not affect its resolution, since it is mathematically defined. The end result would be a larger or smaller graphic, but the individual pixels making up the graphic would not change in size. To scale remapped and vector-based objects:

- Click down the Left ALT key, grab any control point around the selected object, and drag to the desired size.

Scaling Text Objects

Scaling a text object will result in the text from changing to a larger or

text within remains unchanged. To make it an object:

- Hold down the Left ALT key (Alt on a Macintosh) and click around the text object, and make it the desired size.

Changing Object Attributes

As with points, full control over objects is provided through the **Align/Format** selection. This selection works similarly for formatted, unformatted and text objects.

- Select the object you wish to alter.
- Select the **Align/Format** menu.
- Command-click on **Object Attributes**, requiring one which changes may be required.



Position

The **Position** sub-menu allows you to specify the exact location of the top-left corner of the selected object in relation to the top-left corner of its page. The values are displayed in inches to the units of measure selected in the **Preferences/Units** menu.

- **Horizontal**: This value controls the horizontal distance from the left-hand side of the page.
- **Vertical**: This value controls the vertical distance from the top side of the page.

Scaling

It is possible to scale an object up or down.

- **Horizontal**: This value controls the horizontal scaling factor. The left side will be stretched and the right side of the object will be adjusted accordingly.
- **Vertical**: This value controls the vertical scaling factor. The top side will be stretched and the bottom side of the object will be adjusted accordingly.

Visibility

By default, all objects outside of a page are not visible. If an object is partially outside, it will be cropped at the page border. However, **Command-click** allows you to override this setting, allowing an object to

be visible **off** with **on** its position on the page.

Transparent Colour

In each object, one of 16 colours is actually 'transparent'. Whatever is behind it is seen. By default, white is each object's transparent colour. Use the **Object** to change the transparent colour of an object. In many cases, white is behind the page which is white as well.

Colour Master allows you to specify a different transparent colour for each object.

Line Width

The **Line Width** selector at the bottom of the tool palette allows you to select the width of the lines drawn by the following tools: polygons, circles, simple ellipses, and Bezier drawing tools, in both drawing and Sketchpad modes. If a unformatted graphic object, or a speech balloon, is a user changing the width will also will immediately change the width of the lines in that object.

All well-known graphics will be drawn with the selected line width until another selection is made.

For formatted graphics, you will have to select the line width desired before you start to create the image. **Colour Master**, The **Colour Master** behaves similarly to the line width selector. If you wish to change the colour of an already constructed, or speech balloon, object:

- Select a new colour from the colour palette. Your object will change colour immediately.

Note again that this only applies to unformatted objects, and speech balloons, not to formatted objects. The selected colour selection displays the selected foreground and background colours. To select a different foreground colour:

- Click on the foreground colour in the selected colour window.
- Click on any colour in the colour palette.

The same process applies for changing the background colour.

By default, the 16 foreground colour will be black, and no 16 background colour will be specified.

The bottom two gauges in the colour palette are used with background colours. The one on the right is the 16 colour fill selector. The

and on the left is 145615188

Painting the Fill.

- Select the Fill command menu item.
- Select the Fill Fill icon.
- This will result in no background colour for the left Fill is removed.

Selecting a Pattern.

- Select the Patterns menu item.
- Select the Pattern tool. The background colour will be set to the current fill pattern. The Pattern tool will always indicate the current pattern.

To change the Background colour.

- Double click on the Pattern tool. A colour palette will open if you wish to fill the Pattern.
- Select any of the many fill patterns. Each pattern is made up of four dots. On the right side of the screen, the four basic colours are shown. Click on the arrows beside each of the colour indicators to change that colour.
- The SET option is only valid if you are changing the background of an existing visible object, such as a rectangle or text object. Selecting SET will change the current pattern and the pattern used by the object that you are editing. This option allows you to modify previously used patterns and colour combinations.

Changing Colour.

- Colour Series allows you to specify any of the 4096 colours in your 16 working colours. It is strongly suggested that the first two colours (white and black) be left alone. If these colours are changed, patterns, icons, and objects may become difficult or even impossible to read. It is wise to leave the last two colours (medium and dark grey) alone as well. Finally, it is less important than white and black. To change any of the 16 working colours:
- Double click on the colour in the colour palette that you wish to



change. Copy Series will display a Colour palette.

The Colour palette permits you to change the colour Red, Green, and Blue components of the colour that you wish to change. Modification of the Hue, Saturation, and Luminance is also possible. To change any of the values, push and drag the corresponding slider bar. As you move the selector, the new colour that you are creating is continuously displayed under bottom right portion of the Colour palette.

- The R, G, and B sliders control the amount of Red, Green, and Blue components in your colour. There are 16 different levels for each.
 - The H slider controls the Hue of colour. This is the colour's relative position on the colour spectrum, similar to the colour of a rainbow.
 - The L slider controls the Luminance of the colour. Think of this as the intensity or brightness of colour. The less the slider the more black is added to the colour. When the slider is at the very bottom the colour black will always result.
 - The S slider controls the Saturation of the colour. Think of this as the degree of pure colour. The lower the slider the more grey is added to the colour.
- Using the H, L, and S sliders give you an alternative method of selecting colour. When you alter any of these sliders, the R, G, and B values change accordingly.

Spot allows you to specify a starting and ending colour and have ColorSeries generate a spread of colours in between the two.

- Create the colour at one end of the spread.
- Create the colour at the other end. This is how the locations of the starting and ending colours, an important for a defined number of intermediate colours that will be generated.
- With one of the two colours active, click Spread and then click on the other colour.

Each allows you to exchange the location of two colours in the colour palette. This is useful when you wish to change a current colour throughout your system.

- Select the first colour to exchange.
- Select the Each tool.
- Select the second colour to be exchanged. The two colours will

big and small, large and tiny, and depth, colors of the 16 colors table, and color table table (you want).

- Select only colors in the display list.
- Select Copy.
- Select the palette location into which you want to copy the first entries.

Cancel will discard all modifications that you have made to the color palette, and restore the previous palette. Undo will undo just the last change you made.

5 BITMAPS



Importing The process of importing bitmap graphics was quickly covered in the Tutorial. This section explains in detail the different functions of the Import Graphics functions.

A bitmap graphic can only be imported into a panel. Therefore, prior to selecting **Project/Import Graphics...**, create a panel in the page. To import a graphic:

- Select **Import Graphics...** (in the menu or toolbar, click the **Blank Bitmap** tool). The pointer will change to a cross hair indicating that it is time to guide or reserve the graphic should be drawn.
- Drag out a frame within the panel. This frame does not control the size of the imported graphic, but is used as a reference for the **Graphic Clipping** function explained later in this section. A file response will appear if nothing has been imported yet.
- When the pointer driver does away and the name of the graphic, you want to import. **Connecticut** will present the **Graphic Clipping** window.

By default, the **Graphic Clipping** window is displayed at the corner of the screen. The window may be moved and moved about the screen. **Connecticut** will remember these alterations the next time the **Graphic Clipping** window is displayed.

Move the mouse pointer outside of the window to scroll the image, in the direction of the pointer. The further the pointer is from the window, the faster **Connecticut** will scroll the image. An alternate method for scrolling is, pressing the four keyboard arrow keys. Holding the **SHIFT** key down will increase the scrolling speed.

The functions of the first tools across the top of the **Graphic Clipping** window, in order, are:

- **Import** Import the standard image clipart in the left is selected is called the graphic import function.
- **The New Image tool** is selected to produce the file, important allowing you to select a different image file.
- **Graphic Constraints** constrain the dimensions of the frame, so guide that you do not to distort the panel after selecting Import Graphics. Selecting the Graphic clipping tool will produce a rectangular clipping frame of arbitrary dimensions. Move the frame over the area of the image that you wish to clip and click on the left mouse button.
- **The Rectangle Clip tool** is selected to define a new rectangular clipping frame.
- **The polygon tool** Polygon Clipping allows clipping of complex shapes. Click the left mouse button to draw a polygon around the image. The lines can be of any length. To terminate the polygon double click the left mouse button. Constraints will automatically create a final line joining the last point of the frame with the start clip point.

Creating a Blank Bitmap Object

To create a blank bitmap create a panel.

- Select the Blank Bitmap tool. Your pointer will change into a crosshair.
- Drag out the object. The dashed border indicates that it is the current object. Constraints remains in the Object Constraints mode allowing you to create more blank bitmaps.

An object may extend beyond a panel. The only restriction is the Blank Bitmap tool is that the starting corner of the object must initially be inside of the panel. After creation the object can be moved completely off of the panel.



Overlapping Objects

To create square bitmaps, hold down the SHIFT key while using the Blank Bitmap tool. Depending on the viewing magnification and screen resolution, the results may not appear to be square. However, Constraints takes the pointer output resolution into consideration and the object will print as a true square. By releasing the SHIFT key, you will again be able to produce rectangles.

Building a Bitmap Object

Layers/Filter provides a right click menu to work on all the contents of bitmap objects, independently, as well as images created externally within the program. To modify a bitmap object, make sure that the object is active and that the Graphics Mode tool is still in bitmap.



Painting Tool

Use the Paint tool to draw directly on the bitmap using the selected foreground color. As long as the left mouse button is depressed, Constraints will move your mouse incrementally.



Brush Types

Double clicking on the Paint tool will produce the Brush Types response. Select any of the displayed brushes.



Continuous Line Tool

The Line tool is used to create straight continuous lines.

- With the Line tool selected, move the pointer to a starting point or click the left mouse button at that location and drag out a line.
- Click the left mouse button at a second location, a line will be drawn from the first point to the second point. Continue clicking to create a continuous sequence of lines.
- To terminate the sequence of lines, double click or left mouse button on the final point.

Cloning Polygons

CurveSetter can approximate any closed polygon. Hold down the CTRL key while double-clicking to approximate the sequence of lines.

Constraining

Hold down the SHIFT key to constrain lines to 45 or 90 degrees. This is useful if you wish to create perfectly horizontal, diagonal or vertical lines with little effort. Releasing the SHIFT key will allow you to restore creating lines at any angle.

Box Tool

The box tool allows you to create rectangular shapes. With the Box tool selected, move the pointer to a starting location, hold down the left mouse button and drag.

Constraining boxes

Hold down the SHIFT key while creating a box to generate squares.

Ellipse Tool

The Ellipse tool allows you to create ellipses. With the Ellipse tool selected, move the pointer to the starting location and drag out the ellipse.

Constraining ellipses

Hold down the SHIFT key while dragging out ellipses to generate true circles.

Fill tool

The Fill tool allows you to fill in a closed area on the bitmap with the current background colour or pattern. You can also fill an entire linked bitmap object with this feature. With the Fill tool selected, position the pointer inside the area that you wish to fill and click the left mouse button.



Air Brush tool

The Air Brush tool will lay up a random stream onto the bitmap in the chosen background colour. The Air Brush is activated by holding down the left mouse button.



Air Brush settings

Double-click on the Air Brush tool to produce the Air Brush Settings response.

- Size controls the radius of the area the Air Brush will paint.
- Flow controls the rate the colour will flow onto the bitmap.



Smear Tool

The Smear tool is used to mix up pixels within a specific distance of the pointer. This is useful for blending two pixels, a colour with an object. Double-clicking on the Smear tool produces the Smear Settings response which is similar to the Air Brush Settings response and operates on the same manner.

Bezier Curve

The Bezier tool provides the ability to produce curves. This involves entering the location of four points to which CurveSetter fits a curve. This function is performed automatically so you will always see the curves as they are developed.

This is a very powerful graphics tool which requires some experience to fully master. The following brief guide illustrates the points available through the use of Bezier curves. To produce a Bezier curve:

- Select the Bezier tool, and move the pointer to the location of the first point.
- Press the left mouse button and drag out a line to the second point and release the button.
- Move the pointer to the third location, and press the left mouse button again. While holding down the left mouse button, move the pointer to the location of the fourth point. CurveSetter will display the location of the 3rd point while you drag the pointer.

a 45-degree angle with a black border. Important: with the **Fill** effect, they can produce some surprising results.

The back ground color can be turned off by selecting the **No Fill** tool. This allows graphics to be created without any fill. The line pattern colors cannot be turned off, but setting the line width to zero will achieve the same effect.

A Pattern Fill can be chosen instead of a background color, and appears similar to how Chapter 3, Graphics.

Save a Bitmap

Comic2Win provides the ability to save an entire page, or just a panel, as a bitmap to disk. This powerful feature allows you to create a comic layout in Comic2Win, save it as a bitmap, and import this bitmap into any program which supports BMP graphic files.

This means your Comic2Win layouts may be imported into Professional Page and grouped as a Postscript Laser page. Professional Page can also be used to professionally color separate Comic2Win scenes for efficient offset printing.

Comic2Win layouts can also be imported into animation packages which support BMP graphic files.

To save a Comic2Win panel as a bitmap

- Select **Project/Save Bitmap/Panel**. This will save the current panel as a bitmap graphic. After selecting this item, a **Save Current Panel Bitmap** As requestor will appear in the usual Enter the disk, directory, and filename to which you wish to save the bitmap.

To save a Comic2Win page as a bitmap

- Select **Project/Save Bitmap/Page**. This will save the current page as a bitmap graphic. After selecting this item, a **Save Current Page Bitmap** As requestor will appear. Enter the disk, directory, and filename to which you wish to save the bitmap.

10

STRUCTURED GRAPHICS



Comic2Win provides the ability to create Structured Graphics documents. Structured graphics are mathematically defined lines and graphics. For this reason, they are completely editable and can print in the full resolution of the defined output resolution. Furthermore, structured graphics take up much less memory than bitmaps.

Creating

A mask object does not have to be created prior to the actual creation of a structured graphic. As well, a structured graphic is completely flexible with no restrictions to size, shape, or colors once created. After a structured graphic is created, Comic2Win places a border around it defining the shape.

Graphics Mode Tool

Before attempting to create a structured graphic, make sure that the graphics mode tool is properly set to structured graphics mode. Then select any of the appropriate tools and start creating your graphics.



Line Tool

The Line tool allows you to create straight continuous structured lines in the same way as bitmap lines are drawn.

- With the Line tool selected, move the pointer to a starting position, click, and drag out a line.

- Click the left mouse button at a second location to finish, and it draws lines that first point to the second point. Continue clicking to create a connected sequence of lines.
- To immediately close down and double-click the left mouse button on the final point.



Closing Polygons

Continue to automatically close polygons. Hold down the CTRL key while double-clicking to terminate the line function.

Constraining

Hold down the SHIFT key to constrain lines to 45 or 90 degrees. This is useful if you wish to create perfectly horizontal, diagonal, or vertical lines with little effort. Releasing the SHIFT key will allow points to create lines at any angle.

Box Tool

The Box tool allows you to create rectangular shapes.

With the Box tool selected, move the pointer to a starting location, hold down the left mouse button and drag out the rectangular shape.



Constraining Boxes

Hold down the SHIFT key while creating a box to generate squares.

Ellipse Tool

The Ellipse tool allows you to create ellipses. With the Ellipse tool selected, move the pointer to the starting location and drag out the ellipse.



Constraining ellipses

Hold down the SHIFT key while dragging an ellipse to generate a circle.

Bezier Curves

The Bezier tool provides the ability to produce curves. This tool contains the Bezier tool (lower left) and both Control and hot handles. This function is performed



interactively so you will always see the curves as they are developed.

This is a very powerful graphics tool which requires some steps to make it fully usable. The following level guide illustrates the process available through the use of Bezier curves. To produce a Bezier curve:

1. Select the Bezier tool and move the pointer to the location of the first point.
2. Press the left mouse button and drag on a line to the second point and release the button.
3. Move the pointer to the third location and press the left mouse button again. While holding down the left mouse button, move the pointer to the location of the fourth point. Consequently, while dragging the location of the first point while dragging the pointer.
4. When you release the button, the curve will be generated to the object.



Continuing Bezier

A standard Bezier curve is composed of four points. It is possible to draw a continuous curve which is built from a number of Bezier curves joined together. In this situation, the last point of the new Bezier is the same as the first point of the old one and the second point of the new Bezier is automatically drawn so that the two Bezier join together smoothly.

Consequently, performing this automatically while the addition of curves are generated. To continue a Bezier:

1. Hold down the CTRL key while generating the last first point of a Bezier to previously described. When you release the left mouse button to place the fourth point, the Bezier you have just completed will be drawn as usual. In addition, the first two points of a new

Beaver will be placed automatically.

- Place the first and fourth points of the new Beaver as described above. If, while you do this, you keep CTRL depressed, you will have yet another half-completed Beaver in the end. You can link a total of 50 Beaver together this way.

Constraining Beavers

Hold down the 348FT key to constrain either of a Beaver curve's last two lines to 45 degree movements. You may constrain the first and last line segments of the Beaver curve, while freely placing the middle segments.

Line Width Tool

The Line Width utility is meaningful for all of the structured graphics tools. Select the line width before creating a graphic. If an existing structured graphics object is selected, and the line width altered, that graphic will reflect the change. Structured graphics can be edited in this way at any time.

Colour

Colour can be selected prior to creating a graphic, or afterwards to modify a structured graphic. The foreground colour selector affects every structured graphics tool.

If the background colour is set to a colour or pattern that the Continuous Line, Rectangle, Ellipse, and Bezier tools will fill their areas with their selection. For example, if the background colour is red, and the foreground colour is black, using the first tool will produce a solid red rectangle with a black border. Experiment with these tools. They can produce some surprising results.

The background colour can be turned off by clicking the No-Fill tool. This allows graphics to be created without any fill. The foreground colour can not be turned off, but setting the line width to 0 does achieve similar effects.

A Pattern Fill can be chosen instead of a background colour, and operates similarly.

Moving structured graphics

Structured graphics are moved in the same manner as are polygons among objects. Simply use the 1010 mouse, hold it to grab the object, and move it to the desired location.

Control Points

Structured graphics can be fully edited in two end shapes. When a structured object is selected, control points will be visible surrounding the graphic. Any of these control points may be grabbed and moved to change the shape of the graphic.

Scaling Structured Graphics

holding L-ALT will allow an object to be scaled with four right control points to appear around the object's centre. Grabbing and moving these control points while still holding L-ALT will scale the entire object to a new size. This procedure was discussed in detail in Chapter 3, Graphics, in scaling.

Box and Ellipse

These structured graphics have eight control points, four at each corner of the figure, and two at the midpoint of each line. Grabbing any of these control points and moving it is similar to it using a pencil. When a control point is moved, the graphic itself will move, allowing you exactly how you have changed.

Lines

Control points in continuous lines are located at each point of the line. If only one line segment exists, there will be a control point at each end of the line. Grabbing any of the continuous line control points will allow points move the location of that point while all other points remain stationary.

Bezier Curves

Bezier curves possess the most advanced form of control point manipulation.

Initially, only two control points are visible in a standard non-constrained Bezier curve.

These two points will be at the ends of the curve.

Clicking on either of the control points will display a tangent line, and another control point at the end of the tangent line. The direction of the tangent line defines the direction of movement at the control point where the curve meets the tangent line. The direction of the tangent line defines the magnitude or degree of curvature at that point.

To change the location of the secondary point or the length of the tangent line, pull the control point at the end of the tangent line, and move it to the desired location. Moving the original control point at the base of the tangent line will keep the secondary point at the end of the tangent line fixed. If you wish to move the whole tangent line without changing either its direction or its length, hold the Left Arrow key while moving the original control point. This moves the tangent line a distance of one

Continuous Bezier

When you click on a line of the curve, a control point is created, and you get a tangent line extending in both directions. With a new control point at each end, in this situation, no tangent line can be edited independently or previously defined.

If the Left Arrow key is held down, the change in one tangent will be reflected in the other. For example, by holding down the Left Arrow key and changing the length and moving the tangent by 45 degrees, the other tangent will also change in length by the same amount, and rotate 45 degrees in the opposite direction. The rotation always around the base control point. If the Left Arrow key is held while moving the first (or any) control point, all these points will move together. This has the effect of keeping the curve smooth as it is. If the tangents are moved independently, as in (b), as with a single sharp point, they result.

The only way to completely understand the full use of Bezier curves is by experiment. By moving the control points, it will only take you a few minutes to learn its basic on-which Bezier curves operate.

Illustration

Strawman graphics are objects, just like bitmap and text objects. All of the attributes discussed in the Chapter 5 Graphics, fully apply to Strawman graphics.

11 TEXT



Text can be added to Canvas Artist before, while, or after. The first is integrating text with bitmap objects. The second way is to create text as a separate object. The advantage of creating a separate text object is the ability to edit that text at a later time. If text is integrated as part of a bitmap, it is a permanent addition.

Text as a Bitmap

To place text as a bitmap object:

- Select the bitmap object and make certain that the Graphics Mode tool is set to the bitmap mode.
- Select the Text Tool from the tool palette. The pointer will change to a crosshair, signifying that the location for the text can be defined.
- Drag out a new rectangular guide, defining the text location. Canvas Artist will produce an Exact Text response.
- Type the text into the text line and press Return. The text will appear as part of the bitmap.



Text as an Object

To create text as a separate object:

- Make certain that the Graphics Mode tool is set to Strawman/Clipboard.
- Select the Text tool from the tool palette. Again, the



pointer will change to a cross hair. Click, and a new window for the object to be created, into which the text will be placed.

- Drag the object into place on the drawing sheet. Command will get you within an Entry Text response.
- Type the text into the text box and press RETURN. Command will create an object and place the text within. The location of the text within the rectangle you drag will depend on the Text format specified, indicating you're adding the text to a format or creating a text object. For an explanation of text formats, see further later in this chapter.

Modifying Text Objects

It is this and all formats that are not directly modified. However, text in text objects can be altered.

The text of the object can be modified in the same way as other objects.

- With the object selected, grab any of the control points around its format and drag it to the new size. The text inside will stretch accordingly.

Although you are changing the physical size of the object, you cannot change the size of the text. To do this, you must select a different text or text format. See later in this chapter.

Changing the Default Text

To edit the text in a text object:

With the text object selected, choose TextEdit. The Inquire Text response will appear, allowing you to edit the text as you type.

Text Attributes

Many text attributes may be selected, including the text itself, text, text, and the text format. All of these attributes come up, listed in the Text menu.

Format

Selecting TextFormat produces a Format response. This response allows you to change text's different text type.

- Select the pointer over the desired text and click the left mouse

button. When done, text attributes come listed on the far right hand side of the response.

- Select the proper text.

Style

Each text can have various styles assigned to it. Underlined, Bold, and Italic. Any combination of styles can be selected simultaneously. These styles apply to the entire text object, unless overridden by embedded format (see below).

- Select TextStyle and choose the attributes that you wish your text to have. When an attribute is selected, a checkmark will appear to the left of it.
- To turn off all style attributes, select TextStyleNone.

Format

Text can be formatted within Text objects in three ways: Left, Right, and Center justified.

Select TextFormat and choose the format that you wish your text to have. Only one of these may be chosen at a time for any given Text object. A checkmark will appear to the left of the chosen format.

Embedded Code

You can add codes of reply into your text. Most of these codes control the various text styles, such as Bold, Underline, and Italic, overriding the styles chosen from the TextStyle submenus. The codes themselves will not be displayed or printed.

Insert these codes while entering text in the Entry Text response when you want to have a single text object containing more than one style of text.

Code	Function	Effect
BB	Turn BOLD on	BOLD
Bb	Turn BOLD off	
UU	Turn Underline on	<u>UNDERLINE</u>
Uu	Turn Underline off	
II	Turn Italic on	<i>ITALIC</i>
Ii	Turn Italic off	

on: **Color**
on: **Format** > **Background**
on: **Format** > **Background** > **Color**

PLAIN

Several of these options are the result of cooperation with one or the other group (e.g., if you selected:

Hello Shitworth Bob

and you would produce:

Hello Shitworth Bob

Color

Text will always appear in the current foreground color. If the text is a Text object, then the color can be changed by the user instead of by changing colors of a contained graphic. Background color is not used in Text objects.

With the text object selected, change the foreground color. The text color will change accordingly.

Object Attribution

A Text object balloon is an old color object that can be further modified using the **Attribution** sub-option as described in Chapter 8, Graphics.

12 BALLOONS



Speech balloons add a special dimension to our program's text, character, and image. There are several different types of speech balloons: some are rounded (most) or have characters in talking; and others are jagged (showing lines in a speech bubble).

DrawSphere provides the ability to create several different types of speech balloons in various sizes, place text within them, and draw the speech bubble. Some speech balloons are specialized structured graphics; the text or any other part of the graphic can be edited. The text changes in a text object prompted with structured graphics.

Creating the Balloon

- Click on the **Balloon** tool. The pointer will change into a cross hair.
- Drag out a frame for the size of the speech balloon.
- Color dialog will present in **DrawText** register. Enter the text in the text line. The speech balloons will be created using current line width, color, and balloon attributes.



Balloon Attribution

Balloon attributes must be set before drawing the balloons. Other than color, line width, and text content, there is no method of changing attributes after the balloon is created.

To select balloon attributes:

- Double click on the **Balloon** tool in the tool palette. **DrawSphere** will present a **Balloon** register containing several settings.



Shapes

Circle lists 6 possible (or different) bulb-like shapes, all of which are clickable. Clicking on any of the shape diagrams will select that shape.

Features

Circle buttons can be selected to have Lagged, Jagged peaks. When Lagged is selected, all of the peaks will be of equal size. When Jagged is selected, some peaks will be higher than others.

The P Peaks number indicates the number of peaks and control points your bulb-like will have. The default value depends on the shape of bulb-like that you are using.

The Peak Height controls the height of the peaks above the valleys between them. Any value between 0 and 100 is allowed. Using a peak height of 0 will result in an ellipse. Being generated with the number of control points that were specified on the P Peaks line.

Adding the Bulb-like

A bulb-like is really a group consisting two components: a text object and a structural object. In a normal old speech bulb-like, the text object is within the structural object. To modify the bulb-like on the tool, the group must be ungrouped and the appropriate component must be made active. For more information on groups, see the Chapter 10 Groups. Only a text window is shown here.

To select either of the objects in a bulb-like:

- Click on the bulb-like or select it. This two-object in the bulb-like will become visible in the Properties/Show Items window.
- Hold down the CTRL key while clicking on one of the two objects.

This object will become active. Once a bulb-like is selected, you can simply click on the object that you wish to edit. The frame of that object will turn from dim to dark and control points will become visible.

Structural Component: Adding a Tail

The graphic part of a bulb-like is simply a structural graphic with many endpoints. It takes a continuous line (or a Bézier curve). Any editing that is possible with a normal structural graphic is comparable with the tail line. Adding a tail has been simplified to grabbing and moving any control point to re-shaped the curve, dragging out a speech tail. An oval normal Bézier curve is, clicking on any control point will bring up the tangent lines for fine control of the graphic.

Text Component: Adding

Once a bulb-like is created, selecting its text object will allow it to be edited just like any other text object. Therefore, by grabbing the middle control points, you can adjust the size of the object. Choose Text-like in either the text tool. For more information on text objects, see Chapter 10 Text.

Other Attributes

A speech bulb-like's Color and Fill Width attributes can be chosen before the bulb-like is created, and modified afterwards. These buttons work the same way as with other graphic objects. For more information on Colors and Line Width attributes, see Chapter 8 Graphics.

In the same way, a bulb-like's text color can be chosen before or after creating the bulb-like using the Text menu.

13 EDITING



Computer provides many tools to assist in object editing. One of the most useful tools is the **UNDO** command. Other commands allow you to move, duplicate, and delete points and objects.

Undo

Selecting **Undo** reverses the immediately previous change or delete that you might have created. This applies to points and all types of objects. **Undo** is included from the **Undo** submenu.

Some operations cannot be undone. If the most recent operation is not undoable, the **Undo** menu item will be placed out of its location. But selecting **Undo** will remove the selected objects or points from the screen, placing them in the **Paste Buffer**. The **Paste Buffer** is a temporary storage area for points and objects. The contents of this buffer can be modified at any time. Therefore, you can **Ctrl**-**C** an object from one page and **Paste** it into another page. **Ctrl** cannot be undone with **Undo**. **Paste** is the only way to reverse the effects of a **Cut**. Once an object or point has been cut, it remains in the **Paste Buffer** until **Ctrl** or **Copy** is selected again.

Copy

Ctrl-**C** is similar to **Cut**, except that the selected points or objects will not be moved from the screen. The **Ctrl**-**C** selection transfers a copy of the object or point into the **Paste Buffer** without affecting the original. This command is used in conjunction with the **Paste** command.

Paste

Selecting **Paste** (after a Cut or Copy command) will transfer the objects or graphics to the Paste Buffer (back into the original location on the canvas or page). For example, a pencil Cut from the top portion of one page in *Post*, into the same location on the second page, is possible. In *Post*, no more is copied to the clipboard than the same page or different page. Each new copy will be placed atop the original object. You can then move the copies to new final sites.

Note: When a *Context-Sensitive Paste* (an object or pencil) is used, it will strike that same object. In the case of a pencil, the pencil will be set against it (both are vector objects in the pencil). If you instead use the *Paste* (not object) command, *Post* will produce an additional copy. The reason for this is that you would be trying to paste an object into an object, or a pencil into a pencil, and this is not possible. Instead, however, a pencil, clipboard into a pencil. A *Paste* command will copy an object from the Paste Buffer into the space of pencil or graphics on the pencil position on the page.

Brush

Selecting **Brush** will allow you instantly display the selected objects or graphics on the *Canvas* or *Author Layout*. This allows you to check the objects with the alignment, the alignment position in the Paste Buffer.

Duplicate

The **Duplicate** (or **Make a Copy**) option of the *Clipboard* will copy all objects in a panel. Simply select the object on panel that you wish to copy, and select the **Duplicate** function. Consideration will place the copied copy slightly below, and to the right of its original, so that it may be easily grabbed and moved. The **Duplicate** command will not affect any objects or panels in the *Paste Buffer*.

When a **Duplicate**, the new copies of the items will be all the same as the originals. The copies can therefore be moved together to a new location by grabbing one of them while holding down the **SHIFT** key.

Flip

The **Flip/Flip** selection allows panels create mirror images of their

objects or panels. This is useful to find features greatly resembles the *Context-Sensitive Flip* (an option).

When you select **Flip/Flip**, a sub menu of two choices will appear:

- **Horizontal:** Context-Sensitive will flip the contents from left to right resulting in a mirror image.
- **Vertical:** This will flip the contents from top to bottom, resulting in an upside-down image. Lock, holding, **Flip/Flip** will flip the entire panel in objects from top to bottom. A locked object cannot be moved or modified in any way. It means the page is locked, all of the objects in a page will also be locked.

Align

Selecting **Align/Align** will allow the selected object or panel allowing you move objects or panels into a desired

Align

The **Align** and **Align** allow of the selected object or panel to be aligned to the panel or page which contains the object. It is possible to align items horizontally or vertically on the panel. The **Align** menu in the horizontal direction allows you choose (a) the right, the center, or the left of the panel. The **Align** menu will move to that they are all centered on the same vertical line. Vertical alignment works similarly, aligning the items, top or bottom of the object to the same vertical line, the horizontal line. The **Align** menu of objects in a panel:

- Select all of the items that you wish to align. See Chapter 7, *Panel*, for more information on selection.
- Select **Align/Align**. Context-Sensitive will present an **Align** sub menu.
- Choose the desired alignment option.

Aligning to Parent:

There are two basic ways to align items. They are controlled with the **Align** menu option in the **Align** response.

If **To Parent** is chosen, all of the items will be aligned relative to their parent item. They will move to the edge of the parent's frame, or will be centered within it, depending on the option you choose, on the **Vertical** and **Horizontal** sections of the response. It is possible to align

just one, **Bring To Front**. The parent of an object is the group or panel of which it is a member. This is also the parent of a group. All of the panels on a page have the same parent – the page itself.

If To Parent is not chosen, ComposeView will also refer to a frame which you previously set of the selected items. Then, if you click **Left**, the program will find the leftmost of all the selected items and will move the rest of the items to line up with it. **Right**, **Top**, and **Bottom** work similarly. If you choose **Align** without choosing To Parent, the program will choose (first among the selected items) the left edge which is furthest left, and the right edge, which is furthest right, of all those items, and of the selected items neither is **Left** nor **Right** between those two edges. Although possible, it is useless to align just one item without reference to something or already aligned items, so it will

14 GROUPS



The group with the single character is a group of one object, is **invisible**, and is used to ensure that exactly all of the items move. For example, grouping a graphic character and text from several pages offers the obvious advantage of moving the complete character as a whole, without getting all of the pages separately and recombining them. Note, a page and groups can be grouped, **Print** is correct.

Creating

- Select all of the objects that you wish to include in the group. The objects must all be in the same panel. For more information on the methods of selecting, and extended selecting objects, see Chapter 5, **Graphics**.
- Once all of the objects to be grouped have been selected, use the **Layout/Group Operations/Group** command to make the selected object into a group. A frame surrounding all of the selected objects will appear. The borders of the individual objects will change, light colored rectangles to denote the selection.

When the group is not selected, the borders of the individual objects in the group will disappear, and only the group border will be visible.

Resizing, Moving and Scaling

Once a group has been created, it is possible to move any other object. It can be selected in **Left** and **Right** views, the methods described for objects in Chapter 5, **Graphics**. When a group is moved or copied, all of its members will move or be copied with it. It is never necessary or possible to explicitly move a group. It behaves as a group's members are.

As long as the group's frame will automatically be adjusted to readily contain them.

Attaching

Selecting **Attach/Unattach** will produce the Group Attributes inspector. This inspector allows you to attach objects.

- **Position:** The group relative to the page.
- **Scaling:** The horizontal and vertical scaling factors that will be applied to the group.

Ungrouping

To ungroup a selected group of objects, select **Layout/Group Ungroup/Ungroup**. The group's members will still exist, but they will no longer be in a group. They will all be selected, making it easy to do whatever operation (e.g., **Layout/Align/Align Left**) and regroup the new

Entering a Group

There are times when it is necessary to modify one object within a group. To enter a selected group and gain access to an individual member:

- Hold down the **CTRL** key while clicking the pointer over the member to be made active. The object will become active, allowing full access. Once a group has been entered all of the objects within that group are accessible by clicking on them. Extended selection is also possible at this point.

If an object within a group is modified, the group frame will adjust to accommodate the change.

If the group contains a sub-group, enter the group and then use the same procedure to enter the sub-group.

To leave a group, just click *anywhere* other than on any of the group's members. The group's members will no longer be individually selectable.

15 PREFERENCES



Display

Boxes

To turn the display of borders on or off, select **Preferences/Show Boxes**. A checkmark will appear to the left of the menu item if boxes are turned on.

The only borders displayed will be those of the current active objects, and their corresponding panels. Turning on **Preferences/Show Boxes** causes all objects and panels to be displayed with borders around them. These borders may be dashed, solid, or dotted depending on the current state of the object.

Gadgets

There are situations where it is useful to view moving objects differently when making very large pages. **Preferences** provides the option of making the tool palette disappear, increasing page viewing, or displaying both. To turn the tool palette display off, select **Preferences/Show Gadgets**.

Fast Move

QuickSelect has a method for moving objects very quickly. By default **Preferences/Fast Move** is selected. This setting allows objects to be moved quickly by only displaying the frame of the object being moved. When **Fast Move** is deselected, a checkmark will appear to the left of the menu item.

When the **Fast Move** option is turned off, the contents of the moving object will be visible providing for accurate positioning. The disadvantage of this is that **QuickSelect** may take a second longer to prepare the object to be moved.

Interface

Selecting **PrintAsYouWrite/PrintAs...** will double the CorelDraw screen resolution allowing you to view how it may appear in print. The big advantage of this window mode is the "thru" effect which occurs on most monitors. A high pixel-per-inch monitor will help to eliminate this effect.

Page Cache

Turning on **Page Cache** always works on very large documents with one glaring, negative issue on the Amiga's memory availability. With **Page Cache** on, CorelDraw will temporarily store more pages of your document on disk. Only the current page will be in memory. The disadvantage of **Page Caching** is that it may take a few extra seconds to move from one page to another. The advantage pointed is a better window view is only limited by available disk space.

Selecting **Performance/Page Cache** produces a sub-menu with the following items:

- **Use PageCache** is a variable that lets the feature on or off.
- **Set Directory** displays a **Page Cache** Directory requester which is used to select the disk and directory in which CorelDraw will store the non-printed pages.

Available Memory

Selecting **Performance/Available Memory** displays an **Available Memory** requester. This requester shows you the total free memory currently at the Amiga's disposal:

- **Chip** This value shows the total free amount of Chip memory.
- **Free** If any memory boards are attached to the Amiga, this value shows the total amount of Free memory available.
- **Chip Largest** and **Free Largest** These show, for the two types of memory, the size of the single largest available chunk of memory of that type.



PRINTING



Environment Setup

Before it is possible to print any document, the Amiga must be informed of the type of printer is connected to it, usually the **PostScript** program. This can be done any time, before or after **Page/Print** is selected either before starting CorelDraw or while it is running. If **Performance** is on while the **Print** response is active, any dialog made will not take effect until the next time you select **Page/Print**.

Print

Selecting **Page/Print** will produce a **Print Document** requester, providing the necessary options for printing the document:

- **From Pages X to Y** allows a range of pages to be selected for printing. By default, CorelDraw will print the entire document. Click on the page lines to specify the range of pages to be printed.
- **# Copies** CorelDraw will print the number copies of each of the requested pages. The default number of copies is 1.
- **Dist** In this setting, CorelDraw will send the page as requested to make it fit on the physical page on the printer.
- **Custom** gives you control over scaling factors that are applied during printing. A 1.0 by 1.0 scale instructs CorelDraw to print every pixel with no scaling. Depending on these values, the output may be larger or smaller than the page on your printer. If it is larger, only part of the page will actually be printed.
- **Dither** Depending on the selected printer, a dither print device may be available for use. Check this option to use the appropriate dither to select. The **DPI** value will display the actual dots per

tools for the chosen device.

- **Colors** The colors setting tells ConnectCenter to print colors as they appeared in the original ConnectCenter colors. The color quality depends greatly on the type of color printer connected to the Atriga. The setting should not be used with a Black & White printer.
- **Gray Scale** If this setting is used, ConnectCenter will convert all colors into appropriate gray shading that your printer can output. The gray shades are created by different patterns of black dots which give the appearance of a solid gray color. A technique used on news paper photographs. The type of Dithering pattern is selected using the Dither setting option in this window.
- **Black & White** Printing in Black & White will force all colors to be either black or white. No gray shading will be attempted. A color image may not output satisfactorily when printed in Black & White mode. In Black & White printing, there is a threshold; any color darker than the threshold will be printed as black. The rest of the pixels will be white. Although this threshold can be changed within ConnectCenter, you can change during WorldSmith Printerserv.
- **Dither** ConnectCenter provides three settings for gray scale pattern:
 - **Ordered** Which creates horizontal and vertical placement of light and dark pixels.
 - **Random** which creates horizontal and vertical pixels coming from a random point. This simulates the dots of a newspaper's halftone photograph.
 - **Fixed Sampling** which creates horizontal and vertical placement of dark and light pixels. Experimental use is the best way to determine which of these settings produces the best quality output on your printer.
- **Smooth** If any spread dithering is performed, the Smooth function helps ConnectCenter to smooth out some of the jagged edges common in dot matrix printers. The degree of improvement depends on the printer and the amount of scaling. Smooth cannot be used together with Floyd's algorithm dithering. Selecting either of these turns off the other one.
- **Correct** This function helps ConnectCenter to more closely match the printed colors to the screen colors. Of course, this is only

applicable when using a color printer.

- **Manual** This feature allows single manual sheet loading in the press. In ConnectCenter will wait after each page for any key to be pressed before continuing with the next page.
- **Stop** When using this option, ConnectCenter will print the last page of your printout from the printer.
- **Start** Clicking on this gadget will instruct ConnectCenter to start printing using the selected language.
- **Pause** This gadget can only be activated while ConnectCenter is printing. Selecting Pause instructs ConnectCenter to temporarily stop printing and either Resume or Cancel is chosen.
- **Resume** This option will start printing after it has been stopped by Pause.
- **Cancel** will abort the printing operation, returning you to ConnectCenter.
- **Quit** Clicking on this gadget will abort from the Print Document window, returning you to ConnectCenter.

Environmental Setup

There are times when ConnectCenter can produce either a circle, which looks good on the screen or one which looks good when printed. It can't do both at the same time. For example, when you use L. JITTER with the Ellipse tool to draw a circle, what you see on the screen is a circle which is not circular. It will, however, appear circular when printed. In order to do this correctly, the program must know, while you are using a circle, the resolution of the printer on which it will be output.

When ConnectCenter first starts up, it checks the printer settings you specified to the Printerserv program. On the assumption that they describe the printer you will be using to output your circles.

If you plan to use a different printer than the one in your Printerserv file, for example, if you're working in house, but plan to use a third-party color printer for your final output, you should tell ConnectCenter about this so that it can get things right. To do this:

- Select the **Printer/Environment Setup** menu item. An Environment Setup window will appear.
- Enter the resolution (dots per inch, or DPI) for the printer you will

be using for your final output. If you receive a letter with the wrong printer resolution, everything will still work OK, but the final output won't look quite as good as if the correct resolution had been used.

If, when the program starts up, the printer information is not available, the settings for a common type of printer can be used; one will be used, and you will find about it as you can change the settings in the correct case, for your printer.

17 COMIC HINTS



Comics have been a part of popular Western Culture for well over a century, with the first comic books, which appeared daily in newspaper strips, in poor-quality newspaper or black-and-white-to-the-dark full-color graphic novel format of today, that is, from far removed from part of our daily lives.

Along the way, comics have defined their own language—a vocabulary which relies not only on the traditional understanding of text, but also on the reader's shared experience. Comparisons may be drawn here to movies and television programs, which have a similar vocabulary. In fact, very few movies or TV shows, if any, make it to the production stage without story boards, which are nothing more than picture book representations of the feature.

Panel and Balloons

The comic book format represents an attempt of word and image, two distinct forms that have a common origin. It is through the juxtaposition of these elements, in the form of sequential image panels and word balloons, that we may tell a story. The panel and the balloons are the bases of a comic book vocabulary.

The panel besides being a way to frame an image, is the device comic books use to indicate time. Panel shape and size has a lot to do with the way the reader will interpret the passage of time. For example, a series of small panels can indicate a very quick time span, while a single large panel may translate as the slow movement of time.

Therefore, the panel not only defines the parameters of the scene it

city lines, but also a middle, a *via* visible in relation to the scene and indicates the direction of the action. The impression is as if not only the panel itself but experience-shaped time for the reading of simple symbols and word balloons within the frame. You can almost think of panels as literary punctuation. Some panels may act as common forms, a semicolon, while others may be semicolons or periods. Balloons, which are used to continue speech and action, may also be used to indicate time.

A good comic book must also have a sense of rhythm. In fact, timing and rhythm go hand in hand. Think of a city of small, close panels as a staircase built leading up to a large panel or episode, which in turn becomes a simple harmony of evenly shaped panels. A comic page can be like music for the eyes.

Of course, the pace of designed rhythm will be affected by the actions they contain. For example, panels of a body applying makeup demand a certain time rhythm based on sentence expansion. Other possible scenes that would help someone are a believable model of time as such things as a chopping fire or starting a car or speaking a sign note. Using these devices as creative tools will allow the reader to sense the passage of time based on his own experience, after all, nearly everybody knows how long it takes to start a car or make a quarter

turnover but found that when people look at a page, the eye usually enters at the left side near the top. Undoubtedly this is because readers have



In panel 1, the eye is first attracted to the character's face in panel 1. The reading begins in panel 2, but a character's action in panel 3 draws the eye back to panel 2, and finally the character's legs disappear and the eye is drawn to the character's face in panel 4.

always started to read from that corner on a page, and the eye has formed the habit of looking there the minute it glances at a sheet of paper. Panel arrangement on the page controls this.

From this point, it has been found, the eye leaps to the center of the page, just above the middle top graphic design the area is known as the focal point and there, unless held by something interesting, it passes downward and to the right, passing off the page.

With this, the reader must learn to use the conventional pattern of his own mind the story fully. There are, however, rules of thumb that help to keep the reader's eye directed in the proper manner. For instance, the artist should keep figures, faces, or objects on the main panel's pointed towards the next panel under exposure. If this is not possible because of the story line, other devices such as shadows or background design should be incorporated in the panel.

Composing the Panel

Each panel is like a mini-story, of course, and as a result, all the rules of composition and design apply. It is up to the artist to decide what principles the reader will be looking at the scene that



Using a full figure and changing the position, you can achieve a variety of effects.

1. Full figure
2. Medium shot
3. Close-up

interest and what effects it will be necessary for the direction of the story.

Note that a small close-up panel can be used to focus the reader's attention on a key point.

Paneling Devices

Finally, getting in a way to express time and rhythm panels also act as a frame for ideas, thoughts, actions, and scenes. The artist must think of a complete system to properly communicate the story. Because you can distribute only so much of a story, the skill is in choosing which captions, to preserve it on the continuous flow of events. If the artist has done his job properly, the reader will have no problem in imagining the events, even in the key panels. The artist has decided to depict

it is important for the comic book artist to control the reader's attention. While it is impossible for the artist to stop the reader from going to the last panel on a page before reading the first, there are devices the artist can use that will help in leading the reader's eyes, and then keep it directing the flow of the story. There are, simply, a half-dozen devices:

The artist usually has a choice of three basic depths in representing the subject in a panel.

They are the close-up, the medium shot, and the full figure or long shot. It using these various depths intelligently helps in the personal rhythm and flow of the story. To do a story in all close-ups, or all long shots, would result in a very tedious and boring comic book, although each represents an aid used to advantage in newspaper comic strips where the whole of the narrative takes place in three or four panels.

There may also be occasions when the artist will find it necessary not to include the action in a panel, or use the panel border as an indication of a doorway or window. These creative uses of the panel border are only limited by the artist's imagination.

Tip on Utilizing CLIP-ART

We do learn to do it this is a varied range of clip-art available to help you in the creation of your comic book. This clip art comes in what is called Artwork, a group which is presented in Figures, Backgrounds, and Props.

Before use of this clip-art, it is not always necessary to do drawings

using the full background or figure clip-art effect. One person can provide you with a number of different backgrounds where you can do your own drawing.



It is better than the figure and background clip-art effect.



An example of how to use the clip-art to provide a background for the figure.



panels. A full figure may be also used in a variety of ways. Some examples are shown above.

It is also not always essential to have a full background in a panel. Some panels will work very well with no background, just characters.

Other panels may require just a few props. This may require no more than a portion of a window and a doorway to



All examples of using the clip-art and the clip-art to provide a background for the character.

utilize it to the reader than your characters are in a panel.

The figures have also been given a very picture book, which is done to help you in the creation of the story. For example, you could add a character's head to a picture book, which is done to create a whole new character. This and the clip-art may also be changed, giving you the option of using the clip-art from other sources.



By changing the character's head, the character, and adding a mouth and a body, the character is created.

In Coloring

Comic books are a mix of art and popular culture, and as a result, they have influenced by people the world over. In France, Italy and Spain comic books have become just as popular as art. Some in painting or sculpture. In Japan, comic books are a multi-million dollar business, where the creators, story the same theme as rock and roll stars in North America. In China and Korea, comic books have been used for years as educational tools. It seems that anywhere you go, you are bound to see some comic books.

Left Mouse
Left Shift
Left Command

A-E
A-W

Keyboard Modifiers

The following chart summarizes the keyboard modifiers and the mode in which each can operate on functions.

To use a left-and function (press the specified modifier key while clicking in the appropriate area with the left mouse button).

The **Right** column (below) is an effect when a keyboard modifier is used for an clicking operation (i.e., clicking is grabbing any visible control point).

The **Left** column (below) shows the effect when a keyboard modifier is used in a selection process (such as clicking outside the body of an object).

Modifier	Selection	Right
Control	Select Single Object	
Left Shift	Extend Select Object	Continuous
Right Shift	Invert Select Pass-1	Command
Left Alt/Apple	Deconstruct Object	Move, Tangent point with points
Right Alt/Apple	Deconstruct Panel	Move/Tangent point with points
Left ALT		Scale Panels or Objects
Right ALT	Select Single Panel	
CTRL	Deconstruct group	Create Polygon
		Command R, P, T

In the left column, there is no difference between the left and right Shift keys, or between the left and right Alt/Apple keys.

APPENDIX B

B.1 Printer Information

CorelDraw is able to work with Windows 3.11 versions of the printer drivers and printing system software. This section provides a guide to installing and printing (hard, electronic, printer simulation, and screen) everything at high-resolution processes. This website also offers a large number of user-adjustable options to control the printer, such as different types of color conversion algorithms, loss of images during optional screen-to-printer color conversion, and a number of ways of specifying lines on the final printed line. All of these options are controlled by the *Amiga Professional* program.

Since CorelDraw needs a great deal of control over the appearance of the final printed, several other options are either optional or required that by CorelDraw. For example, when you check the **Screen** option in *ColorSelect*, a printer may make some use of the *Amiga* or, setting in *Amiga Professional*.

There are limitations to the settings in *Amiga Professional* that CorelDraw does not control, and you must set them up properly. They are:

- Printer Name and Port**: limits all work printers. The following sections describe how to set specific settings.

Printer Name and Port

You need to specify in CorelDraw the name of the printer you are using, and whether or not it is a parallel or serial port for connection with the printer. When you set the printer name with a user manually, it may be selecting a printer driver from the ones provided by CorelDraw. If you are using a printer that is not one of the ones listed and is not compatible with any of them either, you may either set a printer driver specifically written for your printer.

- Double-click on the *Professional* icon on the System disk.
- When the *Professional* window is displayed, click on the **Printer** button. The printer setup window will be displayed.
- At the top-right of the printer setup window is a box of printer's. Click on the up and down arrows next to that list until the name of the

group connections) is the center of the list (in the example below, it's the printer icon labeled "check to see if your printer is compatible with the printer list of binary printers and Epson compatible" or whatever the printer setting). See the printer driver listing later in this appendix for a list of what printer drivers to use for each printer.

- Inside the list of the list (I promise, it's worth for using the serial or parallel ports). Click on the parallel port if your printer is connected to the Amiga's parallel port, or click on the serial icon if your printer is connected to the Amiga's serial port.
- Click the OK button in the lower right corner. The main Preferences window will be displayed.
- Click under "Save button in the lower right corner to save these Preferences settings."

Narrow or Wide Printer

Many printers are available in both narrow (3 inch) and wide (3.5 inch) carriage versions, and most of all Commodore's printer drivers are designed to work with either type of these printers. Here, too, you get a tell the printer driver what type of printer you are using:

- Disable check on the Preferences window in the System disk.
- When the Preferences window is displayed, click on the Printer button. The printer setup window will be displayed.
- If you are using a narrow carriage printer, click on either U.S. letter or Narrow Thru on the paper size window. If you are using a wide carriage printer, click on Wide Thru on the Paper Size window.
- Click on the OK button in the lower right corner. The main Preferences window will be displayed.
- Click on the Save button to save these Preferences settings.

Print Density

Most graphics-capable printers can use several different resolutions when printing graphics. Most, with the exception of 7 pin dot-matrix, and printing speed, reduce as the density is increased. The print density (or print resolution) of the printer, although setting a higher resolution will slow down the printing, you can potentially obtain much more results, especially when you choose the finest option in

Commodore's Print Setup box. If you print in 1440 dpi, multiple graphs or printing resolutions (and if the printer driver also supports multiple resolutions), you should try each of the different resolutions to see the effects, both in quality and printing speed. This may be the case that you prefer in your target setting.

Print Density is controlled from within Commodore's Print Manager. But there is no need to set it in Amiga's Print Setup.

Printer Specific Information

Below is a list of the graphics-capable printer drivers supplied by Commodore at the time this manual went to press, along with the company name about what printer that driver supports, whether it supports wide carriage version of the printer, and what printer is selected in the Print Density option box.

CalComp ColorMaster

CalComp ColorMaster2

These two drivers are identical except that the ColorMaster2 driver is approximately twice as fast (it can print considerably more memory (up to about 1.2 meg bytes) for a full-page printout) than the ColorMaster.

CBII MPY1000

For Commodore's MPY 1000 printer, and all IBM compatible printers. Wide carriage version is supported. Two densities are supported: 120 by 72 DPI, and 240 by 72 DPI.

Duhal C-110

For the Duhal C-110 and compatible printers. Two speeds of printing.

Epson2

For both black & white and color versions of the Epson LQ and LQ compatible printers. Uses 24 pin graphics mode. Wide carriage version is supported. Four densities are supported: 90 by 144 DPI, 120 by 144 DPI, 180 by 144 DPI, and 240 by 144 DPI.

EpsonX

For both black & white and color versions of the Epson LX, FX, LX, LX, LX, LX, LX, and compatible printers. Wide carriage version is

supported. Two densities are supported: 320 by 72 DPI and 340 by 72 DPI.

HP LaserJet

For the LaserJet LaserJet Plus, LaserJet Series II, and compatible printers, both densities are supported: 15 by 72 DPI, 180 by 180 DPI, 150 by 120 DPI, 360 by 360 DPI. HP-Fonted on the HP FontJet print or 300 dpi special print rates. ImageWise II For the Apple ImageWise II printer, seven densities are supported: 30 by 72 DPI, 90 by 72 DPI, 180 by 72 DPI, 320 by 72 DPI, 336 by 72 DPI, 344 by 72 DPI, and 360 by 72 DPI.

Chibata 2530

For both the Chibata 251 and 253 with 800 interface module. Up to 16 per graphics mode. With carriage version(s) supported. Two densities are supported: 120 by 344 DPI, 340 by 344 DPI.

Chibata 93

For the Chibata 90 printer and Chibata 92 and 93 with standard interface module. No special features.

Chibata 30

For the Chibata 30 printer. No special features.

Xerox 4830

For the Xerox 4830 and compatible printers. This d/s is identical to the driver for the QuattroC. It supports prints all black densities in order to produce more than solid and darker black shades. If you don't want this feature then use the QuattroC. 150 driver. No special features.

Additional Notes:

Some Epson and Epson-compatible (and IBM-compatible) printers have jobs lost opening. If you print a job where two jobs overlap for several steps of eight dots, try selecting a paper type of Single.

APPENDIX C

Graphic Clip-Art Listings

The following page contains a graphic listing of the type of clip art available for CompuLink. You will notice that all the bodies are supplied in no way parts, allowing you to mix and match to suit the particular needs beyond you are driving up. Because of size limitations on the screen, it is a hard time to supply a complete collection of clip art. However, we will add to this screen the next few months. In the meantime, check out the driver created to show under January 1995 view of CL Manager and find out how to create your own clip art and illustrations.

FORMAL / FORMAL & CLOTHES UP



FORMAL CLOTHES UP



ARMED/MEN DO THE MOST



FEMALE/MEN SHORT & TALL



GENERIC/MEN ACTION



GENERIC/MEN POWER AND PARTS



MALE/MEN & GENERIC



HAIR/BLOOD/SPIN/BLADE



HAIR/NEO HYPERMARTIN



HAIR/NEO SPANDON



HAIR/NEO HYPERMARTIN



HAIR/NEO TOPH & BOTTOMS



HAIR/HAIR MID & CROWN



HAIR/HAIR FRONT & PARIET



SHOES/INTERIOR-DECK



SHOES/INTERIOR-DECK



SHOES/INTERIOR-APT



0000/CITYSCAPE1



0000/CITYSCAPE2



0000/VIEW0001



0000/CITYSCAPE3



0000/CITYSCAPE4



0000/0P0011



0000/0P0012



0000/0P0013



PROPS/EXPLOSION & FIREWORK



PROPS/CHIMNEY & BUILDINGS



PROP/STUDIO STAFF & STYL



PROP/THE HOUSE



PROP/STAMPING CONIA



PROP/PROPAGANDA & PICS



PROP/STAMPING WIGG



POPS/BOOKS FIGURE

BLAME ~~BLAME~~ HOW
STORM

POPS/BOOKS FIGURE 2

BLAME ~~BLAME~~
ANG WAK
STORM

POPS/BOOKS FIGURE 3

STORM
STORM
STORM

COMICSETTER

Copyright Information

Glossary

Index

APPENDIX B

Frapp Images has licensed this program and source code (source code) to you. You may use this source code with the January 1993 issue of *U.I. Among Us*. All of Gold Disk's rights remain intact and you, at the user, are still bound by the terms and agreements which originally pertained to *U.I. Among Us* as distributed by Gold Disk Inc. These are listed below. If you have any problems with the disk please return it to the address listed in the *U.I. Among Us* manual paper and not to Gold Disk Inc. You may order the full details.

1. COPYRIGHT: THE PROGRAM AND ITS RELATED DOCUMENTATION ARE COPYRIGHTED. YOU MAY NOT USE, COPY, MODIFY, OR TRANSFER THE PROGRAM OR DOCUMENTATION OR ANY COPY EXCEPT AS EXPRESSLY PROVIDED IN THIS AGREEMENT.

2. LICENSE: You have the non-exclusive right to use the software program only on a single computer. You may physically transfer the program from one computer to another provided that the program is used on only one computer at a time. You may not electronically transfer the program from one computer to another over a network. You may not distribute copies of the program or accompanying documentation to others. You may not modify or translate the program or derivative work.

3. BACK UP: You may make one (1) copy of the program solely for back up purposes. You must reproduce and include the copyright notice on the back up copy.

4. TERMS: This license is effective until terminated. You may terminate it by destroying the program and documentation and all copies thereof. This license will also terminate if you fail to comply with any term or condition of this Agreement. You agree upon such termination to destroy all copies of the program and documentation.

5. PROGRAM DISCLAIMER: THE PROGRAM IS PROVIDED AS

IS WITHOUT WARRANTY OF ANY KIND EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE RESULTS AND PERFORMANCE OF THE PROGRAM IS ASSUMED BY YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU (AND NOT GOLD DISK INC. OR ITS DEALERS) ASSUME THE ENTIRE COST OF ALL NECESSARY SERVICE, REPAIR OR CORRECTION. NEITHER GOLD DISK INC. NOR ITS DEALERS MAKE ANY REPRESENTATIONS REGARDING THE USE OF OR THE RESULTS OF THE USE OF THE PROGRAM IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, CURRENTNESS OR OTHERWISE. ONLY YOU RELY ON THE PROGRAM AND RESULTS SOLELY AT YOUR OWN RISK.

6. DISKETTE LIMITED WARRANTY: GOLD DISK INC. MAKES THE FOLLOWING LIMITED WARRANTY. THE DISKETTE(S) ON WHICH THE PROGRAM IS RECORDED SHALL BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP ONLY FOR A PERIOD OF THIRTY (30) DAYS FROM THE DATE OF ORIGINAL PURCHASE. IF A DEFECT COVERED BY THIS WARRANTY OCCURS DURING THIS 30 DAY WARRANTY PERIOD AND IT IS RETURNED TO THE DEALER FROM WHOM IT WAS PURCHASED NOT LATER THAN FIFTY (50) DAYS AFTER THE END OF SUCH 30 DAY PERIOD, THE DEALER SHALL, AT THE DEALER'S OPTION, EITHER REPAIR OR REPLACE THE DISKETTE. THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS OR STATUTORY WARRANTIES, AND THE DURATION OF ANY IMPLIED WARRANTY, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IS HEREBY LIMITED TO SAID THIRTY (30) DAY PERIOD. GOLD DISK'S LIABILITY IS LIMITED SOLELY TO THE REPAIR OR REPLACEMENT OF THE DEFECTIVE PRODUCT. IN ITS SOLE DISCRETION, AND SHALL NOT IN ANY EVENT INCLUDE

DAMAGES FOR LOSS OF USE OR LOSS OF ANTICIPATED COSTS, EXPENSES OR DAMAGES, INCLUDING WITHOUT LIMITATION ANY DATA OR INFORMATION WHICH MAY BE LOST OR RENDERED INACCURATE. EVEN IF GOLD DISK INC. HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Some jurisdictions do not allow a limitation on how long an implied warranty lasts, so the above limitation may not apply to you. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from jurisdiction to jurisdiction.

7. MISCELLANEOUS: This license agreement shall be governed by the laws of the province of Ontario, Canada.

GLOSSARY

active panel & object The active panel or object is on which all modify operations are performed.

background colour See fill colour.

bind-up To copy, draw, and file for subdrawing.

border curve A mathematically defined smooth curve.

cell An address taken for binary digits. Groups of bits are used to represent characters and other information. The most common grouping is the byte (8 bits).

bitmapped graphics A graphics system with pixel representations.

bold Letters with heavier thicker appearance than normal.

cache A temporary storage area on disk where the computer stores unused pages to save memory.

carriage returns (also referred to as the RETURN key).

centre justified line Text centered in the full line, with the left and right margins both ragged.

CLD The *Arbitrary Command* driven interface.

click To press and release the left mouse button.

crop To view a graphic in a reduced size by taking part of the image directory. Unlike *display* files, which in most the same manner in pages they are organized in this folder.

document The name currently being worked on within CorelDraw.

DPI Dots per inch. Used to specify the output resolution of a printer.

drag To move objects on the screen using the mouse. Express the left mouse button (in the object) and then move the mouse while the button is still pressed.

file requester A way of accessing files and directories on the system.

file name The name you select for saving and retrieving a CorelDraw document.

fill colour The colour used to fill an object by a user or in response to a request.

fill pattern A pattern or texture that is used to fill an object.

font A complete set of characters of a particular style and typeface.

fontset A collection of fonts.

function key A key labeled with an F followed by a number. These keys activate certain functions.

gadget The name within a spreadsheet window or screen that are used to change the display or to access a tool.

grid A set of horizontal lines, and a vertical grid paper, used as a guide for page layout.

group A collection of objects.

hatchline A continuous, jagged line, composed by a pattern of pixels.

handle A small rectangle, attached to be dragged to change the size or shape of an object on a panel.

hard disk drive A handle or device attached to the Amiga, with more storage than a floppy disk drive.

icon A picture or sign, composed of a tool, document, or gadget.

interline mode A video display mode giving 400 lines and a horizontal.

italic It is inclined to slant to the right.

justify function The way text is formatted on a line. Text can be centered, left, or right justified.

left-justified text Text with a straight left margin and a ragged right.

line colour The colour in which all graphics and text will appear.

line weight The thickness of lines used in structured graphics and video formatted documents.

manual feed Paper put into a printer by hand.

margin The blank area surrounding the printed matter on a page.

menu bar The strip of menu headings at the top of the screen. It is

accessed by pressing the right mouse button.

object A single graphic or text element. Objects can be hot-spotted, structured or text.

panel A rectangular area on the page. Every object or sub-object is a panel. Usually, the only part of an object which is visible on the page within the object's panel.

panic button A temporary shut-down switch, used to stop a machine if build errors occur. It has a label on it or a symbol.

panel The data window for graphics elements. The visibility of an object's display information on the screen can be set.

padding The amount of space between elements controlled by the amount of line space, margins, and indents. It affects the way things are displayed on the screen or on paper.

parameter A term which appears on the screen, which is only used when which the program needs a value. It is simply an argument.

resolution The number of horizontal and vertical lines the screen and printer.

right-justified text Text with a straight right margin and a ragged left. It is called hanging the text off an margin, or justifying the text.

screen The physical display area of the Amiga computer.

scroll bar The pointer device to the right and bottom of the window used to scroll different parts of a large page.

select 1. To make a menu option. 2. To select an object, menu, panel, gadget, or object.

using gadget The gadget located in the Amiga right mouse button window that goes on top to change the window's size.

underline The additional marks that appear below and to the right side of a menu item.

tool A facility for working with the window on display.

typeface A particular combination of type family, size, and weight.

Workbench The user-based window interface on the Amiga.

opening	2	extended graphics mode	17
options	21	extension of the Control Panel	85
pages, with fig.	9	extension capabilities	12
page number, page	25	extension of support	90
path		exit	69
drawing	22	graphics	67
drawing	26	outline	68
drawing	26	embedded links	67
drawing	26	on images	60
Postscript	13	modifying	66
PostScript tool	17	Tools Menu	16
paths		Text tool	67
creating	19	title bar	34
creating	23	updates	11
definition	24	undo	73
drawing	26	units of measurement	75
font	25		
moving	26		
selecting	26		
using	26		
power, pages	18		
Preferences, Menu	16		
power measurement	28		
printing	12		
output resolution	80		
Properties Menu	16		
representation	11		
Scroll Bar	18		
Send to back/Send to front	17		
Screen tool	55		
step to grid	62		
starting Control Panel	14		
stretched graphics	43		
creating	64		
control points	63		
using	63		

SO ...

Well, it's up to you, Copy Come, Senior. Invest in your Amiga with a printer and a mouse - this program will allow your imagination to reach out and touch other people's imaginations. There and, if you're good, it'll make them laugh.

For more information on creating comic illustrations, and cards via the January 1990 issue of CU Amiga which contains a feature on the subject.

... GET GOING!

